





































Manufactured to last

metmeister®
Perfecting workplace excellence

WORKSTATIONS AND STORAGE SYSTEMS




NEW Products

1					
2				 NEW	 NEW
3	 NEW	 NEW	 NEW	 NEW	 NEW
4					 NEW
5				 NEW	 NEW
6		 NEW	 NEW	 NEW	 NEW
7			 NEW	 NEW	 NEW
8				 NEW	
9					 NEW
10					
11	 NEW	 NEW	 NEW	 NEW	 NEW
12	 NEW	 NEW	 NEW	 NEW	 NEW
13					
14					
15	 NEW	 NEW	 NEW	 NEW	 NEW

Contents



1	Introduction. Drawer cabinet system		
2	Drawer cabinet 27x36 Trucking trolley Computer trolley Workbench with small parts washer	Trolley 36 x 54 Combi trolley Drawer accessories 27x36	Tool trolleys 27x36 All purpose trolley Rubber inserts
3	Trolleys		Bin trolleys
4	Ergonomic workstations Double sided workbench Packaging tables and roll frames	Workbenches Economic workbench and flooring Cabinets 27x36	Workbenches with drawer Electrical testbench for single phase application
5	Drawer cabinets 36x36 Drawer accessories 36x36 Rubber inserts Utility boxes and troughs 54x36	Drawer cabinets with doors Utility boxes and troughs 36x36 Drawer cabinets 54x36	Compact storage 36x36 Metal partitions Drawer accessories 54x36
6	Tool holders		
7	Bin storage Bin storage, steel cabinets and shelving	Freestanding and trolley bin storage Wall mounted bin storage	Containers to carry heavy loads Stillage bins
8	zinc galvanised boltless shelving. Boltless shelving. Light duty racking Cantilever rack	Bolted Shelving Palletised storage solutions	Bolted shelving. Longspan boltless Mezzanine floors Drawer rack for heavy applications
9	Wall table Glass perfo cabinet Accessories for Perfo-system	Wall cabinet Industrial Perfo system Workbench cabinet	A frame Wall panels
10	ESD Products SABS resistivity certificate	ESD Products, small parts shelving Antistatic bins	ESD Products, small parts storage
11	Hazardous steel cabinet Gas lift for vice Welding station for training centres	Lifting trolleys Job, time and material control	Chairs Safety key box
12	Lockers		
13	Industrial mobile shelving	Mobile shelving multifile system	
14			
15	Modular vehicle storage system		



AWARD FOR ENGINEERING
AND INDUSTRIAL DESIGN

SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS



QUALITY SUMMIT
GOLD AWARD
FOR EXCELLENCE
AND BUSINESS PRESTIGE





metmeister manufacturer of outstanding quality industrial furniture. Excellent design, sound engineering and continuous innovations guarantee product reliability and returns on investment.


Free advice and planning

Please phone us, we will give you professional advice at no charge. Using **metmeister** products, layouts for storage and workplaces can be CAD designed for applications in motor car plants, service stations, workshops, pharmaceutical manufacturing, packaging, training centers, museums, aviation and public service. Our goals are to achieve efficient working conditions through quick access to tools or parts, optimized storage space, organized and safe workplaces, this will ensure a motivated workforce.




metmeister**JOHANNESBURG**

Physical address:

154-170 AXLE ROAD, DEVLAND
JOHANNESBURGTEL. NUMBER (2711)933-3100
FAX. NUMBER (2711)933-4107Email: metmeister@icon.co.za
Website: www.metmeister.co.za**metmeister****Venter****CAPE TOWN**

Physical address:

10 SANTOS PARK
414 VOORTREKKER RD
MAITLAND
CAPE TOWNTEL. NUMBER (2721)510-5564/74
FAX. NUMBER (2721)510-5584Email: metmeister-cape@icon.co.za
Website: www.metmeister.co.za**metmeister****Venter****DURBAN**


Physical address:

UNIT A & B GASOLINE ALLEY
117 OLD MAIN ROAD
PINETOWN
KZN

TEL NUMBER:083 992 0704

Email: ventmark-dbn@mweb.co.za
Website: www.metmeister.co.za**PINETOWN AGENT**

Physical address:


CMS INDUSTRIAL, UNIT 12
MARLMEAD
4 REED PLACE, MAXMEAD
PINETOWN
DURBANTEL. NUMBER (2731)702-4843
FAX. NUMBER (2731)701-2260Email: cmsindustrial@telkomsa.net
Website: www.metmeister.co.za

**JOHANNESBURG**

Physical address:

41 GRANVILLE AVE, LEA GLEN
JOHANNESBURG

TEL. NUMBER (2711)0861 836 837

Email: metmeister@icon.co.zaWebsite: www.metmeister.co.za**Environment**

metmeister workbench tops are made from saligna gum trees (*Eucalyptus Grandis Hill Ex Maid*), commercially grown in South Africa. This evergreen tree, can reach a height of 72 meters in favourable conditions and can be identified by its dark green, lance shaped leaves (darker above and lighter beneath) and clean columnar bole, off which the bark peels in long thin strips, to expose a smooth greyish-white, or greenish surface. Its flowers, which arise in stalked clusters, have cream coloured stamens. The origin of the species, now grown in cultivated South African forests, was from Australia, (from the warm, humid, coastal regions of central and northern New South Wales and Southern Queensland).

Since the climatic conditions in the eastern and northern districts of Mpumalanga and Zululand, South Africa, closely compare with those of New South Wales and Queensland, Australia, plants have easily been raised from seeds in nurseries, for transfer to suitable locations, thus transforming, once bare slopes, into magnificent forests. Sustainably managed, renewable plantations adhere to international cultivation and harvesting environmental standards, thus obviating destruction of the earth's resources, and ensuring an environmentally friendly product.

The wood combines colours of creamy straw, salmon pinkish to reddish brown, mostly straight-grained, but sometimes attractively figured, is of medium density, thus moderately strong and hard. Among the many purposes for which it is used, are **metmeister** workstation tops, furniture, joinery, panelling, flooring (tongue & groove), ceilings and skirtings.



photograph by Michael Meyersfeld



Welcome to the fourth **metmeister** catalogue. Although we say it every year, it always seems amazing how quick a mere 12 months can go by. The last year has seen a new Pope in the Vatican, a new future "Queen" at Windsor castle and the Rand, after its usual fluctuations, gaining some strength.

The last year has also seen many changes at **metmeister**. Not to our great quality and uncompromising commitment to superior workmanship, of course, but to our range and products.

If you have worked with us before you will know that **metmeister** prides itself on being more than a storage systems manufacturer. We're a solutions company, tailor-making hardworking, hardwearing and, we humbly suggest, rather attractive storage systems and workbenches. Our passion for world-class standards means that each piece stands as a testimony to our motto "Manufactured to last".

Take a look at some of our latest editions, for example. In the last year, we have introduced modular storage systems for vehicles. These systems transform an ordinary truck or van into a practical, multifunctional workhorse. They create excellent service conditions for the trade, resulting in streamline efficiency and cost effectiveness. Although, relatively new to our line-up, customers are already expressing their satisfaction with this addition.

Another new innovation is the large range of general trolleys that have been designed and manufactured. It goes without saying that our usual exacting standards have been applied to this range, ensuring a highly practical, dependable and durable addition to your workspace. We have also extended the existing range of drawer cabinets, trolleys and compact storage units. The new sizes produced now include 56 x 36 drawer cabinets.

Although **metmeister** is known for its innovative new products, we believe that growth also comes from constant improving of the old. As a result, modifications to existing equipment are implemented on an ongoing basis. In fact, we have recently spent some time perfecting our storage equipment for tool holders. These fit into cabinets, trolleys, table units and drawer cabinets.

We have also improved our facilities, installing and commissioning the latest technology in Epoxy Powder Coating. This further ensures that all **metmeister** products meet the highest standards of quality and finish.

So have a look through our catalogue. And if, by some miracle, you don't see what you need in our extensive range, give us a call, we'll be happy to tailor-make anything that will make your working environment more practical and efficient.



**FOR PERSONAL FRIENDLY
ATTENTION PLACE YOUR ORDERS
ON OUR TOLL FREE TELE-SERVICE:**

0800006707

OFFICE / SALES

TEL: (011) 933 - 3100

FAX: (011) 933 - 4107

POSTAL:

**P O Box 57178
SPRINGFIELD 2137
GAUTENG
SOUTH AFRICA**

E-MAIL: metmeister@icon.co.za

WEBSITE: www.metmeister.co.za



Free advice

Our qualified technical advisors are on stand by to help you.
Avail yourself of this service and call us for any required information.

Faxback order form

Easy to use for standard products.
Standard order form to include bank transfer.
Alternate order form for credit card users.
Further alternative offered is a 30 day account, this being subject to credit approval

Metmeister Banking Details

Bank: Nedbank Booysens
Branch Code: 198005
Account No.: 198 0282404

Orders by post



Delivery service

Our prices include packing.

Delivery time

To be quoted.

Delivery charges

A delivery charge of R95.00 for order values up to R2000.00 applies within a 50km radius. (Despatch point Devland). Other areas 10% of goods value. Delivery charges may increase for areas and routes not served regularly by transport companies, please confirm.

BUSINESS HOURS:

MONDAY - THURSDAY: 8:00 - 17:00
FRIDAY: 8:00 - 15:30
SATURDAY: 9:00 - 12:00

FAXBACK order form

(Kindly copy this form and fax back)

metmeister**Fax: (011) 933-4107**

☐ Please send new metmeister catalogue. Workshop and storage systems.

☐ Please send latest CD.

PLEASE PRINT IN BLOCK LETTERS

FROM: MR / MRS

FAX NO: TEL:

WE HEREWITH ORDER:

Qty	Order No. Product	Description	Price Each

Invoice to:

Deliver to:

Signature/Date/Stamp

Payment:

Electronic bank transfer account no. 1980282404
Branch code 198005
Nedbank Booysens



FAXBACK order form for credit card payment

(Kindly copy this form and fax back)

metmeister

Fax: (011) 933-4107

☐ Please send new catalogue for workshop and storage systems.

☐ Please send latest CD.

PLEASE PRINT IN BLOCK LETTERS

FROM: MR / MRS

FAX NO: TEL:

CREDIT CARD NO.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

VALID DATES (Month / Year)

--	--	--	--


☐

☐

☐

Others ☐ Specify

.....
Signature of card holder

Qty	Order No. Product	Description	Price Each

Invoice to:

Delivery to:

Signature / Date

Payment:









Electronic bank transfer account no. 1980282404
Branch code 198005
Nedbank Booysens



1


Colour scheme

metmeister

	RAL 2002		RAL 7005
	RAL 5002		RAL 7032
	RAL 5012		RAL 7035
	RAL 6011		RAL 9005



Drawers are designed for heavy loads, manufactured from quality sheetsteel. Sidewalls, floors and drawer front are formed in one piece, rails, rear wall and floor stiffener are welded on to complete the drawer. The removable drawer front faceplate provides additional stiffening and carries the drawer handle. The drawer walls are formed with slots at 36mm distance, whereas the floor is perforated with the same grid dimensions. Mechanical end stops are provided against drawer run-out. Drawers are fitted with precision steel ball bearings and rear rubber stops for silent closing. All metal parts are epoxy coated.



Drawer cabinets fitted with "full-extension" drawers, are to be bolted to the floor, for safety reasons. Drawers with full extension, have an evenly spread load capacity of 200kg, achieved by a fitted undercarriage, which is manufactured from 3mm quality sheet steel. A combination of single and full extension drawers is possible.



A selection of dividers and slotted partitions are available to optimise material and tools of any kind. Plastic containers, troughs and even rubber mats, which have been laser cut to accommodate specific tooling, revealing the shape of the item being stored and rendering easy identification of missing items, are offered.



The drawer safety catch, in addition to the existing lock, has been developed for the mobile workshops used in the defence force, in order to prevent unwanted opening and closing of the drawer while driving. This application is also used commercially.





The robust cabinet housing is made from a single piece of sheetsteel casing with profile and welded carrier elements at the front and rear. Cabinets are fitted with recessed vinyl tops as a standard feature.



Work top made from laminated saligna timber commercially grown in the Eastern Province of South Africa with bullnose rounded edges and fitted with backstay.


The drawer handles have 2 marking areas (for colour coding and inscriptions) secured by plastic end caps.



The **metmeister** dual action, central locking system with barrel lock and single drawer release button, will prevent inadvertent opening of more than one drawer. Barrel locks are supplied with two keys. The arrangement of the locking system prevents any force on lock or key.



metmeister Drawer cabinets are factory fitted with floor anchoring brackets.





Single extension drawers 92% and full extension drawers 100%			
	27U	36U	54U
Usable Height 35mm, Drawer Height 33mm, Front Height 50mm			
	Width 458mm Depth 592mm Single ext. 27 X 36 Order No. MP-B1	Width 612mm Depth 592mm Single ext. 36 X 36 Order No. MP-A1 MP-A1X	Width 918mm Depth 592mm Single ext. 54 X 36 Order No. MP-C1 MP-C1X
Usable Height 60mm, Drawer Height 58mm, Front Height 75mm			
	Width 458mm Depth 592mm Single ext. 27 X 36 Order No. MP-B2	Width 612mm Depth 592mm Single ext. 36 X 36 Order No. MP-A2 MP-A2X	Width 918mm Depth 592mm Single ext. 54 X 36 Order No. MP-C2 MP-C2X
Usable Height 85mm, Drawer Height 75mm, Front Height 100mm			
	Width 458mm Depth 592mm Single ext. 27 X 36 Order No. MP-B3	Width 612mm Depth 592mm Single ext. 36 X 36 Order No. MP-A3 MP-A3X	Width 918mm Depth 592mm Single ext. 54 X 36 Order No. MP-C3 MP-C3X
Usable Height 135mm, Drawer Height 125mm, Front Height 150mm			
	Width 458mm Depth 592mm Single ext. 27 X 36 Order No. MP-B4	Width 612mm Depth 592mm Single ext. 36 X 36 Order No. MP-A4 MP-A4X	Width 918mm Depth 592mm Single ext. 54 X 36 Order No. MP-C4 MP-C4X
Usable Height 185mm, Drawer Height 175mm, Front Height 200mm			
	Width 458mm Depth 592mm Single ext. 27 X 36 Order No. MP-B5	Width 612mm Depth 592mm Single ext. 36 X 36 Order No. MP-A5 MP-A5X	Width 918mm Depth 592mm Single ext. 54 X 36 Order No. MP-C5 MP-C5X
Usable Height 235mm, Drawer Height 225mm, Front Height 250mm			
	Width 458mm Depth 592mm Single ext. 27 X 36 Order No. MP-B6	Width 612mm Depth 592mm Single ext. 36 X 36 Order No. MP-A6 MP-A6X	Width 918mm Depth 592mm Single ext. 54 X 36 Order No. MP-C6 MP-C6X
Usable Height 285mm, Drawer Height 275mm, Front Height 300mm			
	Width 458mm Depth 592mm Single ext. 27 X 36 Order No. MP-B7	Width 612mm Depth 592mm Single ext. 36 X 36 Order No. MP-A7 MP-A7X	Width 918mm Depth 592mm Single ext. 54 X 36 Order No. MP-C7 MP-C7X





Drawer cabinets and front plates are manufactured from 1.2mm quality steel and are epoxy powder coated to RAL standard. See colour chart on page 10 for colour selection. Drawers ranging from 50mm to 300mm height, can be set in any configuration. Cabinets are fitted with recessed vinyl tops as a standard feature, (to prevent articles falling off the cabinet tops) or if desired, Saligna work tops, which would cost extra. This aspect applies to all the cabinets, except the C400 range, which have plain steel tops. A non-standard application, for the storage of electronic components, is the earthing of drawers to a common connection on the cabinet for static discharge. (Additionally charged for). C400 cabinet dimensions Width 562mm, Depth 705mm, Height 400mm. Usable size of drawers 458 x 592mm.




2 Drawers

Order No.
C400-2

3 Drawers

Order No.
C400-3

3 Drawers

Order No.
C400-3.1

3 Drawers

Order No.
C400-3.2

4 Drawers

Order No.
C400-4

4 Drawers


Order No.
C400-4.1

4 Drawers

Order No.
C400-4.2




The C850 cabinet dimensions Width 562mm, Depth 705mm, Height 850mm. Usable size of drawers 458 x 592mm (0.27m²). Usable cabinet height 750mm




5 Drawers

Order No.
C850-5




6 Drawers

Order No.
C850-6




7 Drawers

Order No.
C850-7




8 Drawers

Order No.
C850-8



8 Drawers


Order No.
C850-8.1




9 Drawers

Order No.
C850-9


The C850 cabinet with door and the option of drawers, shelves, draw tray, is offered.

1 Door
2 Shelves

Order No.
C850-2SH

1 Door
1 Shelf
1 Draw tray
1 Drawer

Order No.
C850-1DPSH


1 Door
1 Draw tray
2 Drawer

Order No.
C850-2DP






Order No.
T80.4RS



Rail for drawer



Barrel lock

Robust Trucking trolley comprising of removable cabinet, fitted with eye bolts, mounted onto T80 trolley, lockable and fitted with perforated plates totalling an area of 1.4 square metres. Accessories are included as mentioned below. Rubber castors of 100mm dia. fitted ,2 fixed, 2 swivel and 1 brake.

Qty.	Description
------	-------------


2	Perforated plates 510 x 1020mm
2	Perforated plates 250 x 1020mm
1 set	16 way spanner holder
1	19 way socket holder + Universal joint, T wrench, 2 extensions, ratchet handle
1	9 way screwdriver holder
1	9 way allenkey holder
2 sets	4 way hacksaw holder
1	5 way pin punch holder
1	25 way drill-bit holder
2	3 way plier holder
17	Single prongs 30mm
6	Spring clips Ø16

Dimensions in mm

Width	Depth	Height
562	705	1900

Order No.
TRUCKING TROLLEY


Order No.
TRUCKING TROLLEY





Order No.
T80.3RT



Order No.
T80.3RS+WKS100T



Order No.
TB040-2CAS

Tool trolleys are fitted with rubber castors of 100mm diameter - two fixed, two swivel and one brake and sturdy handles. These trolleys embrace all the features of the cabinets.


This tool trolley is fitted with four hinged lifting handles, which lift to a 90 degree position. Dimensions - Width 562mm, Depth 705mm, Height 530mm



2 drawers

Order No.
TB040-2CAS


3 drawers

Order No.
TB040-3CAS


4 drawers

Order No.
TB040-4CAS

T80 Trolley dimension, Width 562mm, Depth 705mm, Height 810mm.



2 drawers

Order No.
T80.2RS


3 drawers

Order No.
T80.3RS


4 drawers

Order No.
T80.4RS

T80 RT trolley dimensions, Width 562mm, Depth 705mm, Height 810mm.



2 drawers

Order No.
T80.2RT


3 drawers

Order No.
T80.3RT


4 drawers

Order No.
T80.4RT



Order No.
T85.8.1-RS



Space Saver
Trolley +
Workbench
Order No.
T60.8-RS
WKS100-15T

T85 RS trolley dimensions: Width 562mm, Depth 705mm Height 980mm, Usable size of drawers 458 x 592mm (0,27m²). Usable cabinet height 750mm




4 drawers

Order No.
T85.4-RS



5 drawers

Order No.
T85.5-RS



6 drawers

Order No.
T85.6-RS



7 drawers

Order No.
T85.7-RS



8 drawers

Order No.
T85.8-RS



8 drawers

Order No.
T85.8.1-RS


Space Saver Trolley

T60 RS trolley dimensions: Width 562mm, Depth 705mm Height 830mm, Usable size of drawers 458 x 592mm (0,27m²). Usable cabinet height 600mm. Trolley will fit underneath standard workbenches.



3 drawers

Order No.
T60.3-RS



4 drawers

Order No.
T60.4-RS



5 drawers

Order No.
T60.5-RS



6 drawers

Order No.
T60.6-RS



7 drawers

Order No.
T60.7-RS



8 drawers

Order No.
T60.8-RS

**Jumbo trolley for professionals**

T200 RS trolley dimensions Width 1023mm, Depth 705mm, Height 1180mm. Usable size of drawers 918 x 592mm (0,54m²)
Trolleys are fitted with recessed vinyl tops as a standard feature, rubber castors of 150mm, two fixed and two swivel and one break.



Order No.
T200.6-RS



6 Drawers

Order No.
T200.6-RS



7 Drawers

Order No.
T200.7-RS



8 Drawers

Order No.
T200.8-RS



9 Drawers

Order No.
T200.9-RS



10 Drawers

Order No.
T200.10-RS



12 Drawers

Order No.
T200.12-RS



Combination of a mobile workbench, cabinet with two adjustable shelves and a drawer cabinet. The 100mm rubber castors comprise two fixed, two swivel and two brakes. It has a Saligna top fitted with vinyl, and a backstay on three sides, to prevent items falling off. Other drawer combinations are possible.

Width
1200

Depth
830

Height
980

Order No.
COMBI 1



Order No.
COMBI 1

**metmeister trolley**

Combination of a mobile trolley with versatile worktop and a large tool cabinet. Trolley consists of one lockable door with two height adjustable shelves on one side and a lockable drawer cabinet on the other. The 100mm rubber castors comprise two fixed, two swivel and two brakes. It also has a handle on each side for easy manoeuvring. In short, it is a compact workshop on its own.

The top cabinet is fitted with perforated plates and a large selection of tool holders. For easy access of equipment the holders and prongs are secured from the front with super quick fasteners. These can be moved easily to various positions without tools.

Included are: 8 x perforated plates, 1 x 16 way flat spanner holder, 1 x 9 way star screwdriver holder, 1 x 9 way allen key holder, 1 x 4 way hacksaw holder, 2 x Tray with 6 utility boxes, 1 x 26 way drill bit holder, 1 x 3 way plier holder, 20 x different prongs, 1 x 19 way socket holder, 1 x ring holder, and 1 x 5 way punch holder.

Width	Depth	Height	Overall Height	Order No.
1200	705	980	2080	COMBI 2



Order No.
COMBI 2

Trolley fitted with vinyl top is accessible from front and rear via 4 doors. Doors have lever locks for padlocking facilities (front and back). Inside the doors, perforated plates are fitted for a selection of tool holders. The Trolley accommodates three trays which are height adjustable.

The following tool holders are fitted.

20 off 12Ø spring clips

20 off 16Ø spring clips

20 off 50mm prongs

Tools are excluded



Width	Depth	Height	Order No.
500	600	810	T70



Order No.
T70



All purpose trolleys with 2 , 3 or 4 trays are available. Trays are manufactured from quality cold rolled sheet steel or stainless steel. Framework is manufactured from 25mm square tubing. For heavy loads, an extra stiffener at the bottom of the tray will be added. The all-purpose trolley is fitted with two swivel and two fixed castors. Dimensions of trolley is Width 560mm x Depth 900mm x Height 930mm . Loading capacity 120kg, epoxy coated in light grey RAL7032 texture.



2 trays

Order No.
AP2

3 trays

Order No.
AP3

4 trays

Order No.
AP4Order No.
AP3

The Computer trolley is of welded, robust construction, lockable for safe storage of computer hardware. The keyboard is situated in the drawer and the monitor is fitted in the top enclosure behind a glass or perspex door. The trolley is supplied with a 3 pin socket outlet, 3m cabtyre cable and plug. The CPU is ventilated by side louvres. Rubber castors of 100mm dia. are fitted 2 fixed, 2 swivel and 1 brake. Fans can be supplied as an optional extra.

Width	Depth	Height	Order No.
562	705	1830	PC1
562	705	980	PC2












Order No.
PC1



Order No.
PC2




Small parts utility boxes are manufactured from impact resistant ABS plastic and are supplied in various sizes. They can be secured with flush fitting clips, these being exchangeable for transparent label holders.

															
Width	Depth	Height	Order No.	Width	Depth	Height	Order No.	Width	Depth	Height	Order No.				
75	75	30	MP-7530	125	75	30	MP-12530	150	75	30	MP-15030				
75	75	52	MP-7552	125	75	52	MP-12552	150	75	52	MP-15052				
 Order No. UTILITY CLIP				 Order No. LABEL HOLDER											
UTILITY BOX LAYOUT FOR 27 x 36 DRAWER															
				38 clips are included											
				38 clips are included											
Qty.	Depth	Width	Height	Order No.	Qty.	Depth	Width	Height	Order No.						
18	150	75	30	MP-1257530	18	150	75	30	MP-1507530						
6	125	75	30		6	125	75	30							
18	150	75	52	MP-1257552	18	150	75	52	MP-1507552						
6	125	75	52		6	125	75	52							
				71 clips are included											
Qty.	Depth	Width	Height	Order No.											
36	75	75	30	MP-757530											
6	125	75	30												
36	75	75	52	MP-757552											
6	125	75	52												

Troughs and metal partitions

3-Way troughs are manufactured from impact resistant ABS plastic with suitable dividers to fit into slots of 25mm distance. Suitable for storing end-mills, drills, etc.



Order No.
TROUGH
DIVIDER

Comprising of
18 x 3 way Troughs
and 54 dividers


Order No.
MP18-3

Drawer metal partitioning is modular and can be slotted into various positions. These metal dividers are available for any size drawers. (manufactured from quality cold rolled sheets)




3-way

Drawer size	Partitions	Dividers	Order No.
50mm	2-slotted	10	MP-27U-3/50
75mm	2-slotted	10	MP-27U-3/75
100mm	2-slotted	10	MP-27U-3/100
150mm	2-slotted	10	MP-27U-3/150
200mm	2-slotted	10	MP-27U-3/200
250mm	2-slotted	10	MP-27U-3/250



4-way

Drawer size	Partitions	Dividers	Order No.
75mm	3-slotted	15	MP-27U-4/75
100mm	3-slotted	15	MP-27U-4/100
150mm	3-slotted	15	MP-27U-4/150
200mm	3-slotted	15	MP-27U-4/200
250mm	3-slotted	15	MP-27U-4/250




5-way

Drawer size	Partitions	Dividers	Order No.
50mm	4-slotted	24	MP-27U-5/50
75mm	4-slotted	24	MP-27U-5/75
100mm	4-slotted	24	MP-27U-5/100
150mm	4-slotted	24	MP-27U-5/150




6-way


Drawer size	Partitions	Dividers	Order No.
50mm	5-slotted	20	MP-27U-6/50
75mm	5-slotted	20	MP-27U-6/75
100mm	5-slotted	20	MP-27U-6/100
150mm	5-slotted	20	MP-27U-6/150




Drawer size	Partitions	Dividers	Order No.
75mm	2-plain	0	MP-27U-2/75
100mm	2-plain	0	MP-27U-2/100
150mm	2-plain	0	MP-27U-2/150
200mm	2-plain	0	MP-27U-2/200
250mm	2-plain	0	MP-27U-2/250




Drawer size	Partitions	Dividers	Order No.
50mm	4-pl/1-slotted	1	MP-27U-4P/50
75mm	4-pl/1-slotted	1	MP-27U-4P/75
100mm	4-pl/1-slotted	1	MP-27U-4P/100
150mm	4-pl/1-slotted	1	MP-27U-4P/150




Drawer size	Partitions	Dividers	Order No.
50mm	1-slotted	2	MP-27U-1/50
75mm	1-slotted	2	MP-27U-1/75
100mm	1-slotted	2	MP-27U-1/100
150mm	1-slotted	2	MP-27U-1/150
200mm	1-slotted	2	MP-27U-1/200
250mm	1-slotted	2	MP-27U-1/250



Drawer size	Partitions	Dividers	Order No.
50mm	2-slotted	3	MP-27U-2S/50
75mm	2-slotted	3	MP-27U-2S/75
100mm	2-slotted	3	MP-27U-2S/100
150mm	2-slotted	3	MP-27U-2S/150
200mm	2-slotted	3	MP-27U-2S/200
250mm	2-slotted	3	MP-27U-2S/250



Drawer size	Description	Order No.
100mm	25 positioning pins 1 groove tray	MP-27U-1/100PG
150mm	25 positioning pins 1 groove tray	MP-27U-1/150PG



Drawer size	Description	Order No.
100mm	2 plain partitions 1 sliding groove tray	MP-27U-1/100PS
150mm	2 plain partitions 1 sliding groove tray	MP-27U-1/150PS

Drawer accessories 27 x 36

Rubber inserts, Small parts washer



Drawer Description

100mm
1 set spanner holder
1 sliding groove tray

Order No.


MP-27U-1/100ST

150mm
1 set spanner holder
1 sliding groove tray

Order No.

MP-27U-1/150ST

27U,200mm Drawer with stainless steel cleaner-detergent container is used for the small parts washer. Special care has been taken to prevent flooding while opening, closing the Drawer and during driving (Vehicle Installation). A 12VDC pump with filter and flexible brush assembly forms part of the drawer installation.



Drawer Description

200mm
1 drawer tank with stainless steel sieve
1 pump 12VDC
1 filter
1 brush assembly

Order No.

MP-27U-WASHBAY



Order No.

MP-27U-WASHBAY

Customised laser cut rubber inserts for the storage and safe keeping of tools, measuring, mechanical, instrument or electrical test equipment. Control and quick identification of missing tools or equipment. (Top layer of rubber in black, bottom layer in blue or yellow).



Depth	Length	Width
10	586	458
15	586	458
20	586	458

Order No.

27UFOAM-INS10

27UFOAM-INS15

27UFOAM-INS20






Depth	Length	Width
10	586	458
15	586	458
20	586	458

Order No.

27UFOAM-INS10

27UFOAM-INS15

27UFOAM-INS20





WKS100-18GS workbench fitted with a 12 volt DC small part washer drawer cabinet. The timber saligna worktop and back stay has been covered with 1.6mm zinc galvanised sheetsteel. A stiffener plate is fitted between the rear legs for added strength. The drawer cabinet comprises of 2 extra drawers of 50mm, 1 drawer of 200mm (small parts washer) Special care has been taken to prevent flooding while opening and closing the drawer. Drawer parts are manufactured from 304 stainless steel. A 12 volt DC pump with filter and flexible brush assembly forms part of the drawer installation.



Order No.
WASHBAY



Order No.
MP-27U-WASHBAY



Robust modular trolley manufactured from 3mm quality steel and 2mm tubing. Epoxy powder coated in RAL 5005. Trolley base is zinc galvanised and fitted with 12mm laminated plywood, using wood inserts. Durable side sheets are utilised instead of wire mesh. Tubular frames are easily added per your requirements. Rubber castors of 150mm are fitted, 2 fixed and 2 swivel. Plywood is lacquered for resistance against damp. Two lengths or standard trolleys are available, i.e. 800 and 1200mm to accommodate 2 or 3 Euro containers (600 x 400mm)

Basic flat bed trolley

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
500	500	185	400kg	16kg	T10



Basic flat bed trolley with wood base

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
850	620	215	400kg	23kg	T20




Basic slatted base trolley

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
850	620	215	400kg	18kg	T30
1220	620	215	400kg	22kg	T40



Trolleys with handle and perfo side

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
910	620	980	400kg	27kg	T50 (a)
1320	620	980	400kg	32kg	T60 (b)



**Trolley with two handles and perfo sides**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
990	620	980	500kg	33kg	T71
1220	620	980	500kg	40kg	T80

**Trolley with two handles and four perfo sides**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
990	620	980	500kg	45kg	T90
1220	620	980	500kg	55kg	T100

**Trolley with one side hinged for easy access**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	650	1080	500kg	55kg	T110
1220	650	1080	500kg	66kg	T120

**Trolley with hinged side and top**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	650	1080	500kg	63kg	T130
1220	650	1080	500kg	77kg	T140

**Trolley with tubular handle**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
920	620	980	400kg	23kg	T150
1220	620	980	400kg	28kg	T160



Trolley with tubular handle and wooden side

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
920	620	980	400kg	25kg	T170
1220	620	980	400kg	31kg	T180

**Trolley with Euro containers (600 x 400mm)**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
920	620	980	400kg	25kg	T190

**Trolley with Euro containers (600 x 400mm)**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
1320	620	980	400kg	32kg	T200

**Trolley with two wooden sides**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
990	620	980	500kg	31kg	T210
1220	620	980	500kg	37kg	T220

**Trolley with two shelves and lockable containers**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
920	620	980	400kg	35kg	T230
1220	620	980	400kg	43kg	T240



**Trolley with two wooden shelves**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	250kg	33kg	T250
1220	620	980	250kg	40kg	T260

**Trolley with three wooden shelves**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	250kg	37kg	T270
1220	620	980	250kg	45kg	T280

**Trolley with five wooden shelves**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	1400	250kg	49kg	T290
1220	620	1400	250kg	60kg	T300

**Trolley with bottom wooden shelf & top wooden tray**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	250kg	37kg	T310
1220	620	980	250kg	45kg	T320



Trolley with two wooden trays

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	250kg	41kg	T330
1220	620	980	250kg	50kg	T340

**Trolley with three wooden trays**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	250kg	49kg	T350
1220	620	980	250kg	60kg	T360

**Trolley with top tray and two wooden shelves**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	250kg	41kg	T370
1220	620	980	250kg	50kg	T380

**Tall trolley with three wooden shelves**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	1400	250kg	41kg	T390
1220	620	1400	250kg	50kg	T400



**Tall trolley with three wooden trays**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	1400	250kg	53kg	T410
1220	620	1400	250kg	65kg	T420

**Tall trolley with five wooden trays**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	1400	250kg	69kg	T430
1220	620	1400	250kg	85kg	T440

**Flat bed trolley with tubular side rails**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	500kg	30kg	T450
1220	620	980	500kg	36kg	T460



Tubular trolley for sheets

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	500kg	43kg	T470
1220	620	980	500kg	52kg	T480

**Tubular side rail trolley**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	500kg	34kg	T490
1220	620	980	500kg	42kg	T500

**Tubular side rail trolley with two wooden sides**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	500kg	36kg	T510
1220	620	980	500kg	44kg	T520

**Tubular trolley with four wooden sides**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	620	980	500kg	39kg	T530
1220	620	980	500kg	48kg	T540

**Tubular trolley with hinged flap**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
900	650	1080	500kg	45kg	T550
1220	650	1080	500kg	55kg	T560



**A-frame perfo trolley**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
1210	800	1475	250kg	60kg	T570

**Trolley with cleaning tray and outlet valve**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
940	620	980	250kg	45kg	T590

**Tilting frame trolley holding Euro containers (600x400mm)**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
1030	620	1160	200kg	47kg	T610

**Tubular cage trolley**

Overall Dimensions (mm)			Loading Capacity	Weight of Trolley	Order No.
Length	Depth	Height			
1050	680	1800	500kg	59kg	T650



Epoxy coated in RAL 7035 and manufactured from 1.2mm quality sheet steel with castors of 100mm two fixed, two swivel with break. Perforated sides allow trays to be horizontally installed or tilted in 26 or 45 degree. Trays are secured with supa quick fasteners and can be moved easily to various positions. Two A4 drawing holders stacked horizontally, manufactured from sheet steel, are fitted either side of the trolley. Trolleys are fitted with recessed vinyl tray as a standard feature.



- 24 x SB150 storage bins
- 2 x A4 drawing holders
- 1 x Cantilever tray

Dimensions of trolley in mm
 Overall length 1100 Width 500 Height 870

Order No.
TT15



- 6 x SB210 storage bins
- 4 x SB315 storage bins
- 2 x A4 drawing holders
- 1 x Cantilever tray

Dimensions of trolley in mm
 Overall length 1100 Width 500 Height 870

Order No.
TT2131



- 26 x Tool holder SK40
- 5 x Tool holder SK50
- 16 x SB150 storage bins
- 2 x A4 drawing holders
- 1 x Cantilever tray

Dimensions of trolley in mm
 Overall length 1100 Width 500 Height 870

Order No.
TT15/40/50








Ergonomic workstations are adjustable from heights of 650 to 900mm. The EW1 workstations and WKS101-103 have worktops of 32mm particle board, one side laminated with high pressure lamination (colour folkstone grey) and underside laminated with brown backer. The lamination is 3mm PVC and is edged all around, colour black. Framework and drawer cabinet are epoxy coated in RAL 7005 and RAL 7035. The drawer cabinet comprises 3 drawers of 100mm each. Four 10Amp 2 pin and four 16Amp 3 pin socket outlets (for South Africa) are fitted. A double tube fluorescent light fitting is underneath the shelf. A tray accommodating 12 utility boxes is fitted above the socket outlets.


Dimensions Length 1650mm Depth 750mm Table Height 650-900mm



Order No.
EW-1



32mm laminated particle board



Barrel lock




Drawer rail

Ergonomic workstation EW2.1 comprising:

- worktable, length 1650, Depth 750mm, Adjustable table height 650-900mm.
- drawer cabinet fitted with 3 drawers of 100mm.
- Power supply comprising four 10A 2 pin and four 16A 3 pin socket outlets.
- adjustable shelf fitted with double tube fluorescent fitting.
- 3 pocket job card holder.
- 10 Bins with label type SB105, 7 bins with label type SB150.
- Overhead rail with bearing assisted roller (power tool, balancer and air pipe excluded)


Order No.
EW2.1




Ergonomic workstation EW2.2 comprising:

- worktable, length 1650, Depth 750mm, Adjustable table height 650-900mm.
- Power supply comprising four 10A 2 pin and four 16A 3 pin socket outlets.
- adjustable shelf fitted with double tube fluorescent fitting.
- 10 Bins with label type SB105, 7 bins with label type SB150.
- Overhead rail with bearing assisted roller (power tool, balancer and air pipe excluded)
- EW2 trolley refer page 54.
- Lockable enclosure refer page 56.

Order No.
EW2.2


Ergonomic workstation EW2.3 comprising:

- worktable, length 1650, Depth 750mm, Adjustable table height 650-900mm.
- drawer cabinet fitted with 3 drawers of 100mm.
- Power supply comprising four 10A 2 pin and four 16A 3 pin socket outlets.
- adjustable shelf fitted with double tube fluorescent fitting.
- Perforated plate length 1510 x height 415mm (accessories refer page 156 & 160)
- Klima chair refer page 54 and 168.
- monitors are excluded.

Order No.
EW2.3



Ergonomic workstation EW2.4**comprising:**

- worktable, length 1650, Depth 750mm, Adjustable table height 650-900mm.
- extension table (supplied with one set of legs only) Length 1080 x 500mm adjustable table height 650-900mm.
- Power supply comprising four 10A 2 pin and four 16A 3 pin socket outlets.
- adjustable shelf fitted with double tube fluorescent fitting.
- perforated plate length 1510 x height 415mm (accessories refer page 156 & 160).
- Klima chair refer page 54 and 168.
- EW2 trolley refer page 54.

Order No.
EW2.4



Order No.
KLIMA CHAIR

Order No.
EW2 TROLLEY

Ergonomic workstation EW2.5**comprising:**

- worktable, length 1650, Depth 750mm, Adjustable table height 650-900mm.
- extension table (supplied with one set of legs only) Length 1080 x 500mm adjustable table height 650-900mm.
- Power supply comprising four 10A 2 pin and four 16A 3 pin socket outlets.
- adjustable shelf fitted with double tube fluorescent fitting.
- perforated plate length 1510 x height 415mm (tool holders and accessories are included).
- Overhead rail with bearing assisted roller (power tool, balancer and air pipe excluded)
- three trays
- Trolley T80-3.1RT refer page 56.
- Klima chair refer page 54 and 168.
- Tools are excluded.

Order No.
EW2.5



Order No.
KLIMA CHAIR

Order No.
T80-3.1RT



Ergonomic workstation EW2.6 comprising:

- worktable, length 1650, Depth 750mm, Adjustable table height 650-900mm.
- extension table (supplied with one set of legs only) Length 1080 x 500mm adjustable table height 650-900mm.
- Power supply comprising four 10A 2 pin and four 16A 3 pin socket outlets.
- adjustable shelf fitted with double tube fluorescent fitting.
- 3 pocket job card holder.
- 10 bins with label type SB105, 7 Bins with label type SB150.
- Overhead rail with bearing assisted roller (power tool, balancer and air pipe excluded)
- Trolley T80-3.1 RT refer page 56.

Order No.
EW2.6



Ergonomic workstation EW2.7 comprising:

- worktable, length 1650, Depth 750mm, Adjustable table height 650-900mm.
- extension table (supplied with one set of legs only) Length 1080 x 500mm adjustable table height 650-900mm.
- Power supply comprising four 10A 2 pin and four 16A 3 pin socket outlets.
- adjustable shelf fitted with double tube fluorescent fitting.
- 10 bins with label type SB105, 7 bins with label type SB150.
- perforated plate
- Overhead rail with bearing assisted roller (power tool, balancer and air pipe excluded)
- EW2 trolley refer page 54.
- Klima chair refer page 54 and 168.

Order No.
EW2.7





1 EW2 Workstation

Ergonomic workstations and trolleys are adjustable from heights of 650-900mm. The rigid tubular frame work is epoxy powder coated in RAL 7005, the drawer cabinet, shelf and enclosure for plug sockets in RAL 7035. The EW2 workstations and trolleys have worktops of 32mm particle board, laminated with high pressure lamination (colour folkstone grey) The lamination is 3mm PVC and edged all around in black colour. Workstations are extendable and easy installed in a L shape. They are fitted with four 10A 2 pin and four 3 pin socket outlets. Socket outlets and light fittings are wired up and connected to a 2m long cabtyre cable with plug.

Dimensions:	Length	Depth	Adjust. Table Height	Order No.
	1650	750	650-900mm	EW2

2 Extension table.

Framework, worktop are of the same specification as the workstation. Extension table supplied with one set of legs only.

Dimensions:	Length	Depth	Adjust. Table Height
	1080	500	650-900mm

3 Bin Trolley

Height adjustable 650-900mm The rigid tubular frame is epoxy coated in RAL 7005, Framework, worktop are of the same specification as the workstation. Load capacity 150kg. Three sides of the bottom steel shelf are bent up to prevent bins moving off the shelf. Rubber castors of 100mm diameter are fitted 2 fixed, 2 swivel and 1 brake. Inclusive of 4 bins SB315 (500x315x200mm)

Dimensions:	Length	Depth	Adjust. Table Height
	750	500	650-900mm

Order No.
EW2 TROLLEY



4 Klima chair

Seat and backrest from integral foam and imitation leather for climatic comfort. Seat supported by gaslift, column for height adjustment with a foot ring. Splayed legs on castors.

Order No.
KLIMA CHAIR



5

Overhead rail with bearing assisted roller (powertool, balancer and air pipe excluded)

For the use of suspended electric or pneumatic power hand tools. The rail is front to back adjustable.

6

Storage bins and rails.

Bins are available in standard or conductive polypropylene. Bins are of highest quality, they are easily and safely stacked on support rails with label holder for content identification.

7

+

8

Perforated panel


Perforated panel manufactured from 1.2mm quality sheet steel tightened with four or eight wing fasteners. A quarter turn either secures or removes the panel.

Dimensions in mm

panel	7	Length	Height
		350	415
panel	8	Length	Height
		1510	415

The panels are manufactured with 10mm perforation at a pitch of 40mm

A wide range of accessories such as toolholders, trays with utility boxes, prongs etc are manufactured to organise tools and small part storage. Front access locking clips are used to fit and remove holders. Refer page 156-160 for accessories.




Order No.
PERFO-415

9

Drawer cabinet mounted underneath the worktop.

A robust drawer cabinet comprising 3 drawers of 100mm each is available. Drawers are fitted with precision steel bearings and rear rubber stops for silent closing. A selection of dividers and slotted partitions are available to optimise tools and material of any kind. Plastic containers, troughs and foam rubber mats are offered. The drawer handles are manufactured from aluminium with 2 marking areas (for colour coding and inscriptions) secured by plastic end caps. All cabinets are fitted with a dual action central locking systems to prevent any force on lock or key.



Order No.
C400-3

10 Drawer Trolley

Fitted with 3 drawers of 100mm each, castors of 100mm diameter, 2 fixed two swivel and one break. These trolleys embrace all the features of the cabinet **9**




Order No.
T80-3.1RT

Drawer accessories for workstation cabinet and trolley.

Small parts polypropylene utility boxes are supplied in various sizes to fit drawers. Refer. Cabinet and trolley **9** + **10**

11 Lockable storage enclosure

The lockable enclosure is of complete welded construction fitted with one shelf and one row of hooks.



Dimensions in mm

Height	Width	Depth
415	350	290

Order No.
LOCK ENCLOSURE

12 Document and job card holder.

3 Pockets A4 document and job card holder manufactured from quality sheet steel, epoxy powder coated. The units are vertically stacked.

Order No.
3WAY-JTC

**13 Adjustable shelf**

Shelf can adjust 10 degrees.

Order No.
ADJ-SHELF10



Worktable with laminated worktop and adjustable height 650mm to 900mm.

Length	Depth	Height
1000	750	650-900
1500	750	650-900
1800	750	650-900

Order No
WKS101
WKS102
WKS103






Order No.
(Price without vice) WKS 200-18GV




Order No.
(Price with plug) WASH TABLE

metmeister workbenches are fitted with 38mm laminated Saligna hardwood tops with bull nose edges and backstay. A stiffener plate is fitted between the rear legs for added strength. Wood tops are mounted onto fully welded up frames using wood inserts. In addition to Saligna tops, galvanized sheet steel, stainless steel or vinyl can be fitted. Alternatively heavy duty steel worktops are available.



Length	Depth	Height	Order No.
1500	800	890	WKS500-18T+GLV+V150



Saligna hardwood worktop



Barrel lock



Drawer rail



Order No.

PERFO BENCH CABINETS+WKS500-18T+GLV+V150

1

metmeister workbench cabinet manufactured from 1.6 and 2mm quality cold rolled sheet steel, installed with lockable sliding doors to allow max. worktable space. Doors are perforated to check content of cabinet max. of two cabinets fit a workbench of 1870mm length. Each cabinet containing perforated panels for the installation of toolholder and prong accessories. Accessories (as listed) are included in the price, tools are excluded. The cabinet is epoxy coated in RAL 6011 (Reseda green) or one of the selection of colours as per page 10

Qty.	Description
8	Perforated plates
1set	16 way flat spanner holder
1	9 way star, screwdriver holder
1	9 way allenkey holder
1	4 way hacksaw holder
1	Tray with 6 utility boxes (125x75x52)
1	25 way drill-bit holder
1	3 way plier holder
20	Prongs 30mm long
1	19 way socket holder
1	Ring holder
1	5 way punch holder
10	Clips 16mmØ

Dimensions in mm (for both)

Length	Depth	Height	Order No.
1800	250	1000	PERFO BENCH CABINETS



meisterbench comprising of:

- Adjustable shelf fitted with double tube fluorescent fitting.
- Overhead rail with bearing assisted roller (power tool, balancer and air pipe excluded). Rail front to back adjustable..
- Socket outlets: 4x10A, 2 pin Euro.
4x16A, 3 pin SA.

• **Perforated plates including all tool holders and utility boxes**

Utility box tray.	9 way screwdriver holder.	8 way spanner holder.	9 way allen key holder.
6 off utility boxes.	25 way drill bit holder.	8 off 50mm prongs.	5 way pin punch holde
4 way hacksaw holder.	2 off 3 way plier holder.	24 way socket spanner holder.	

- Drawer cabinet type C850 fitted with 2x75, 2x100,1x150,1x250mm drawers.
- (drawer accessories available refer page 32-35)
- Monitor and tools are excluded.

Length	Depth	Table height	Overall Height
2000	800	890	Adjustable-2200

Order No.
WKS SPC10



Order No.
WKS SPC5



Order No.
WKS SPC3

meisterbench's are fitted with 38mm laminated Saligna hardwood tops with bull nose edges and backstay. A stiffener plate is fitted between the rear legs for added strength. Wood tops are mounted onto fully welded up frames using wood inserts.



meisterbench comprising of:

- Saligna shelf 400mm deep.
- Book, file stand.
- Double tube fluorescent fitting.
- Bins: 14xSB150(L230xW150xH125).
10xSB105(L160xW105xH 75).
- Socket outlets: 2x10A, 2 pin Euro.
2x16A, 3 pin SA.
- Drawer cabinet fitted with 3 drawers of 100mm

•Perforated plate including all tool holders.

8 way spanner holder.	3 way plier holder.	9 way screwdriver holder.
25 way drill bit holder.	spring clip 16mm dia.	9 way allen key holder.

Dimensions in mm.
Tools excluded.

Length	Depth	Table height	Overall Height
2000	800	890	1700

Order No.
WKS SPC6



Space-saver Workbench

This compact robust workbench is ideal where space may be a problem. It comprises stable steel legs with a backstay, 32mm supawood top, which is clad in galvanised sheet steel with one lockable drawer of 150mm, underneath the worktop. The quality drawer runs on bearings and is able to accommodate a load of 80kgs.

The perforated plates mounted at the rear of the bench accommodate all necessary tools and utility boxes by means of holders, prongs and rings, which are movable with quick fasteners, without the use of tools.

A plug top with three, three pin socket outlets is mounted on the one side of the workbench for on hand electrical connection. Alternatively this workbench is offered with utility boxes to hold multiple accessories, for your convenience.

Tool holders supplied are:

1x socket holder	1 x plier holder	1 x hacksaw holder
4x spring clips 12mm	1 x punch holder	1x Allenkey holder
7x single prongs 5x50		



Length	Depth	Table height	Overall Height
1300	800	890	1490

Order No.
WKS160



Order No.
WKS 130



Order No.
WKS 150



Order No.
WKS 140



Order No.
WKS 100-18T



Order No.
WKS 200-18T



Order No.
WKS 500-18T



Order No.
WKS 600T



Order No.
SPC MOB

Worktop and bottom shelf in 38mm laminated saligna hardwood.

Dimensions in mm

Length	Depth	Height
1500	800	890
2000	800	890

Order No.
WKS 90-15T
WKS 90-18T



Worktop in 38mm laminated saligna hardwood with backstay.

Length	Depth	Height
1500	800	890
2000	800	890

Order No.
WKS 100-15T
WKS 100-18T



Heavy duty workbench **steel top**, folded, welded and reinforced with U channels. Manufactured from 3mm mild steel, epoxy coated RAL 6011.

Length	Depth	Height
1500	800	890
2000	800	890

Order No.
WKS 100-15S
WKS 100-18S



Timber saligna worktop covered with 1.6mm **zinc galvanised sheetsteel**

Length	Depth	Height
1500	800	890
2000	800	890

Order No.
WKS 100-15GS
WKS 100-18GS



Worktop in 38mm laminated saligna hardwood with backstay.

Length	Depth	Height
2000	800	890

Order No.
WKS 200-18T

Heavy duty workbench **steel top**, folded, welded and reinforced with U channels. Manufactured from 3mm mild steel, epoxy coated RAL 6011.

Length	Depth	Height
2000	800	890

Order No.
WKS 200-18S

Timber saligna worktop covered with 1.6mm **zinc galvanised sheetsteel**

Order No.
WKS 200-18GS



2 Drawers 75mm 1 Drawer 150mm
2 Drawers 100mm 1 Drawer 250mm

Length	Depth	Height
1500	800	890
2000	800	890

Order No.
WKS 500-15T
WKS 500-18T



2 Drawers 50mm 1 Drawer 200mm
6 Drawers 100mm 1 Drawer 300mm
2 Drawers 150mm

Length	Depth	Height
2000	800	890

Order No.
WKS 600T





Workbench, fitted on one side with a lockable cabinet and two shelves. On the right hand side a drawer cabinet 27 x 36 with 5 drawers.

Length	Depth	Height
2000	800	890

Order No.
WKS 700T



Workbenches are fitted with two shelves and mounted with a double tube fluorescent light fitting underneath the bottom shelf. The table top and the two shelves are made of laminated Saligna wood. The uprights are fitted with four two-pin euro socket outlets and four three-pin socket outlets, 16 amps. The workbench has a perforated back wall, to hold D I Y accessories (See Section 9 - D I Y accessories) and a floor standing drawer cabinet of seven drawers. All drawers are earthed to a common connection at the cabinet.

Length	Depth	Height
2000	800	2100


Order No.
WKS SPC1



Workbenches are fitted with two shelves and mounted with a double tube fluorescent light fitting underneath the top shelf. The table top and the two shelves are made of laminated Saligna wood. The uprights are fitted with four two-pin euro socket outlets and four three-pin socket outlets, 16 amp. The workbench has a perforated back wall, to hold D I Y accessories (See Section 9 - D I Y accessories) and two floor standing drawer cabinets of fourteen drawers. All drawers are earthed to a common connection at the cabinet.

Length	Depth	Height
2000	800	2100

Order No.
WKS SPC2



Workbenches are fitted with
A 38mm laminated, Saligna hardwood worktop.
4x3 pin 16 amp socket outlets SA. 4x2 pin 10amp socket outlets SA.
38mm laminated, Saligna hardwood shelf mounted above perforated plates, with a fluorescent light fitting. Lockable, three drawer cabinet, manufactured from 1.2mm quality steel and epoxy coated. Drawers of 100mm depth each, are designed for heavier loads.

Perforated plates at rear of worktop with tool holders supplied.

- | | |
|---------------------------------|--------------------------|
| 1 Utility box tray. | 6 off utility boxes. |
| 1 9 way screwdriver holder. | 1 9 way spanner holder. |
| 1 3way plier holder. | 1 9 way allenkey holder. |
| 1 25 way drill bit holder. | 6 single prongs. |
| 1 5 way pin punch holder. | 1 4 way hacksaw holder. |
| 1 19 way socket spanner holder. | |

Length	Depth	Height
2000	800	1700


Order No.
WKS SPC3



Workbenches are fitted with one shelf. The table top and shelf are made of laminated Saligna wood. The uprights have four two-pin euro socket outlets and four three-pin socket outlets, 16 amps. The workbench has a perforated back wall, to hold tool accessories

Length	Depth	Height
2000	800	1700

Order No.
WKS SPC4



Workbenches are fitted with
A 38mm laminated, Saligna hardwood worktop and shelf
12x3pin 16 amp socket outlets SA
4x2pin 10amp socket outlets SA
Perforated plates at rear of worktop with tool holders supplied.

1 19 way socket holder	1 9 way allen key holder
6 utility boxes with tray	1 9 way spanner holder
1 5 way pin punch holder	1 9 way screw driver holder
7 single prongs	1 25 way drill bit holder
1 3 way plier holder	1 4 way hacksaw holder

Length	Depth	Height
2000	800	1700

Order No.
WKS SPC5



metmeisterbench comprising of: Book, file stand.

Adjustable shelf fitted with double tube fluorescent fitting.

Socket outlets: 4x10A, 2 pin Euro. 4x16A, 3 pin SA.

Perforated plates including.

Utility box tray. 9 way screwdriver holder. 6 off utility boxes.
8 way spanner holder. 2 off 3 way plier holder. 9 way allenkey holder.
25 way drill bit holder. 8 off 50mm prongs. 5 way pin punch holder.
4 way hacksaw holder. 24 way socket spanner holder
Drawer cabinet type C850 fitted with 2x75, 2x100, 1x150, 1x250mm drawers.
Dimensions in mm, tools excluded.

Length	Depth	Table height	Overall Height
2000	800	890	1700

Order No.
WKS SPC7



metmeisterbench comprising of:

Saligna shelf 400mm deep. Book, file stand.

Double tube fluorescent fitting. Bins: 14xSB150(L230xW150xH125).

10xSB105(L160xW105xH 75).

Socket outlets: 2x10A, 2 pin Euro. 2x16A, 3 pin SA.

Perforated plates including.

3 way plier holder. 9 way screwdriver holder. 8 way spanner holder.
25 way drill bit holder. 9 way allen key holder. spring clip 16mm dia.

Dimensions in mm, tools excluded.

Length	Depth	Table height	Overall Height
2000	800	890	1700

Order No.
WKS SPC8



**metmeisterbench** comprising of:

Lockable enclosure of complete welded construction with one shelf
Saligna shelf 400mm deep. Book, file stand.

Double tube fluorescent fitting.

Bins: 14xSB150(L230xW150xH125). 10xSB105(L160xW105xH75).

Dimensions in mm

Length	Depth	Table height	Overall Height
2000	800	890	1700

Order No.
WKS SPC9

**metmeisterbench** comprising of:

Lockable enclosure of complete welded construction with one shelf.
Saligna shelf 400mm deep Book, file stand.

Double tube fluorescent fitting. Overhead rail with bearing assisted roller(Powertool balancer and airpipe excluded.)
rail front to back adjustable.

Bins:14xSB150 (L230xW150xH125). 10xSB105 (L160xW105xH75).

Drawer cabinet fitted with 3 drawers of 100mm.

Dimensions in mm

Length	Depth	Table height	Overall Height
2000	800	890	Adjustable-2200

Order No.
WKS SPC11

**metmeisterbench** comprising of:

Lockable enclosure of complete welded construction with one shelf.
Saligna shelf 400mm deep. Book, file stand.

Double tube fluorescent fitting.Overhead rail with bearing assisted roller(Powertool balancer and airpipe excluded.)

Rail front to back adjustable.

Bins:14xSB150 (L230xW150xH125). 10xSB105 (L160xW105xH75).

Length	Depth	Table height	Overall Height
2000	800	890	Adjustable-2200

Order No.
WKS SPC12



Mobile workbench installed with lifting mechanism and handle to manoeuvre bench freely and fitted with three castors. The front castor has a swivel mechanism and brake. The table top is made of laminated Saligna wood. A drawer cabinet with two drawers is fitted.

Length	Depth	Height
1500	800	890

Order No.
SPC MOB



Hob workbench fitted with 16mm supawood and 1.6mm galvanized zinc sheet steel with a row of ports used as tool holders. Bench frame manufactured from welded tubular steel. Below are two strong storage shelves.

Length	Depth	Height
1220	510	860

Order No.
SPC HOB



This workbench is very robustly built, because of its width of 1300mm, it could be placed in any workshop. The worktop is made from 32mm supawood, which is clad in a 1.2mm zinc galvanised plate.

Length	Depth	Table height	Overall Height	Order No.
1300	800	890	890	WKS130



As above, but includes one lockable drawer cabinet with one 150mm drawer. This drawer is manufactured for heavier loads. The drawer is fitted with precision steel bearings and rear rubber stops for silent closing.

Length	Depth	Table height	Overall Height	Order No.
1300	800	890	890	WKS140



As above, but includes louvre plates mounted at the rear of the worktop, fitted with 32 storage bins, type SB105. The bins which are of the highest quality, are available in standard polypropylene in five colours. (Red, yellow, green, blue and black.) They are manufactured with ribs and are thus robust receptacles. A 3-WAY 16 amp plug socket is fitted to the left upright of the workstation.

Size of bins:	Length	Width	Height
	160	105	75mm

Length	Depth	Table height	Overall Height	Order No.
1300	800	890	1490	WKS150



Heavy duty workbench, saligna hardwood covered with a **galvanised steel top**.

Length	Depth	Height	Order No.
2000	800	890	WKS 200-18GV



Industrial wash bench for engines and large parts. This robust, strong table is manufactured from 4mm folded sheet steel, and the top from 3mm 3CR12 stainless steel. The table top is recessed and has a drain in the middle at the lowest point.

Length	Depth	Height	Order No.
2000	1000	600	WASH-TABLE





Double **metmeister** bench comprising of:

Overhead rail

Double tube fluorescent light fitting.

2 x 2pin 10amp socket outlets

2 x 3pin 16 amp socket outlets

Bins:

10xSB105(L160xW105xH 75).

14xSB150(L230xW150xH125).

Perfo panel for accesories pages (156-160)

All the above are fitted to both sides of the bench

Dimensions in mm

Length	Depth	Table height	Overall Height
2000	1200	890	adjustable-2200



Order No.
SPCDS 2000T




Length	Depth	Height	Total Height with equipment carrier
1870mm	800mm	890mm	1415mm

Order No.
WKS 300-1PH

Workbenches are fitted with laminated tops, drawer cabinet with 1 drawer 100mm, and 1 drawer 200mm. The equipment carrier is installed at eye level, if one is seated in front of the desk. The back of the equipment carrier is fitted with perforated sheets for ventilation purposes. The unit is accessible from both front and back. The workbench includes for all electrical equipment as listed below.

WKS 300-10
WKS 300-20
WKS 300-30
WKS 300-40

Order No. for complete workstation WKS 300-1PH



**SINGLE PHASE (230VAC)**

- Adjust MCB 10-16 Amp
- Undervoltage release (230vac)
- Indicating light
- E-Stop / Lock Key Switch

Length	Height	Order No.
152	183	WKS 300-10 SPA

THREE PHASE (380VAC)

- Adjust MCB 10-16 Amp
- Undervoltage release (230vac)
- Indicating light
- E-Stop / Lock Key Switch

Length	Height	Order No.
152	183	WKS 300-11 TPA

**REGULATED POWER SUPPLY**

- Single pole circuit breaker
- Fixed Regulated power supply 24VDC
- 2x LAB terminals
- Length 152mm, height 183mm

**Note: for different voltage ranges,
please state requirements**

4 Amps circuit breaker
24VDC/3 Amps

Order No.
WKS 300-50 RPS1

6 Amps circuit breaker
24VDC/5 Amps

Order No.
WKS 300-50 RPS2

10 Amps circuit breaker
24VDC/10 Amps

Order No.
WKS 300-50 RPS3

**METERING PANEL**

- AC Voltmeter 0-300V
- DC Voltmeter 0-30V
- 2 Sets of test terminal ports
- 1 Set of 2A line Fuse (not shown)

**Note: for different voltages
Contact sales office.**

Length	Height	Order No.
279	183	WKS 300-20 VM

**230VAC SUPPLY PANEL**

- Earth leakage circuit breaker
In = 25a / 1AN = 30mA
- 2x 15A, 3 pin socket outlets
- 3x LAB terminals L1,N,PE

**Note: for different socket
outlets, please state requirements**

Length	Height	Order No.
279	183	WKS 300-30 SP

**VARIABLE VOLTAGE SUPPLY**

- On/Off switch with illuminated rocker
- Variable transformer
1ph 0-260V, 4,5Amps
- Single pole circuit breaker 2Amps
- 15 Amp 3 pin socket outlet
- 3x LAB terminals


Length	Height	Order No.
355	183	WKS 300-40 VT

**VARIABLE REGULATED POWER SUPPLY**

- Variable Regulated Power Supply
0-30vdc / 1,5 Amps
- Digital Volt/Current indication

**Note: for different voltage/Current
rating, please state requirements**


Length	Height	Order No.
279	183	WKS 300-60 VRPS1

**COVER PLATE**

Length	Height	Order No.
152	183	WKS 300-CP152
279	183	WKS 300-CP279
355	183	WKS 300-CP355



Order No.
T80.3RT




Order No.
RUBBER-MATS



Plastic flooring is a versatile interlocking tile that is used in both commercial and domestic applications. These heavy duty tiles come in a variety of colours and have interlocking system which allows for easy installation. Tiles come in 3 non slip textures perfect for factories, workshop and offices.

FEATURES: Versatility
Comfort and safety
Convenience
Durability
Variety
Flexible
Non static

SUITABLE FOR: Workshops
Factories
Warehouses
Laboratories
Health clubs
Canteens
Offices



Available finishes

Medallion (Raised "O" pattern) (solid type)
500 x 500 x 6,5mm (4 tiles = 1m² = 7,6kg)


Leather grain (solid type)
500 x 500 x 6,0mm (4 tiles = 1m² = 6,4kg)

Perforated (grid type)
500x500x8,0m (4 tiles=1m²=4,4kg)

Non standard colours available with a minimum order of 250m²

Std Colours
Dove grey
Dark grey
Terra cotta
Black recycled
Dove grey

Order No.
PVC DOVE
PVC DARK
PVC TERRA
PVC REC.
PVC GRID



Demarcation tiles
Colours

Yellow - walkway
and zone
demarcation.


Red - danger areas
and fire

Green - walk areas
and machine
operation area.




Sizes available
500 x 500mm
500 x 180mm
180 x 180mm
Bevelled edging

Order No.
PVC 5050
PVC 5018
PVC 1818
EDGING



Tough PVC interlocking floor tiles are suitable for a wide variety of applications. Non slip finishes available in a range of colours provide underfoot comfort and safety for high traffic areas. Good thermal properties and aesthetic appeal provide a safe and congenial working environment for any factory, workshop, warehouse and garage. No adhesives required for installation, only rubber mallet and edging knife.



Save money by cutting correct length of plastic for packaging. Mobile cutters fitted with four castors of 100mm swivel and brakes. Cutting length 1200mm (P300 & P400) or 500mm (P600). One or two bearing axles for single or double rolls are available. If double rolls are required please specify size of plastic.

	P300 & P400	P600
Height from floor to cutting attachments	1005mm	990mm
Total width of mobile cutter	1560mm	850mm
Depth	605mm	620mm



Order No.
P200



Order No.
P600



Order No.
P300



Order No.
P400



Order No.
P200

metmeister packaging table fitted with 32mm particle board, table top colour folkstone grey. The cutting attachment is suitable for bubble plastic and cardboard. The table height is adjustable from 650 - 900mm. It consists of a packaging table with cutting attachment, shelf with dividers (to hold cartons) and tray. It has an undercarriage with castors and brakes.

Table top Length	Table depth	Cutter length
1650mm	750mm	1300mm

Order No.

P200



Order No.
P100

Packaging table fitted with 38mm laminated Saligna top. The universal cutting attachment is suitable for plastic, bubble plastic, cardboard and brown paper. Table height is fixed at 890mm. The brackets for securing the roll are fixed underneath the table.

Table top Length	Table depth	Cutter length
1870mm	830mm	1300mm

Order No.

P100



metmeister packaging table fitted with 32mm particle board with high pressure laminate, colour folkstone grey. The universal cutting attachment (cutter length 700mm) is suitable for plastic, bubble plastic, cardboard and brown paper. Table height is adjustable between 650mm and 900mm. The brackets for securing the roll are fixed underneath the table.



Order No.
P300-TABLE

Single roll frame for packaging

Roll width	Frame width	Depth	Height
Up to 700	1480	600	710

Order No.
P303

Double roll frame for packaging

Roll width	Frame width	Depth	Height
Up to 2x700	1480	600	1420

Order No.
P304




Order No.
P304




Standard vinyl top

Order No.
C100-7


The C100 cabinet dimensions Width 715mm, Depth 705mm, Height 1000mm. Usable size of drawers 612 x 592mm. (0,37 m²) The standard cabinet has a recessed vinyl top, however, wooden top is available at an extra charge.




6 Drawers

Order No.
C100-6



7 Drawers

Order No.
C100-7



8 Drawers

Order No.
C100-8



9 Drawers

Order No.
C100-9



9 Drawers

Order No.
C100-9.1


9 Drawers

Order No.
C100-9.2


10 Drawers

Order No.
C100-10


11 Drawers

Order No.
C100-11


12 Drawers

Order No.
C100-12



The MB100 cabinet dimensions Width 715mm, Depth 705mm, Height 1000mm. These cabinets have two lockable doors.



Order No.
MB100-3




3 Drawers

Order No.
MB100-3.1



6 Drawers


Order No.
MB100-6



Order No.
C145-9




The C145 cabinet dimensions Width 715mm, Depth 705mm, Height 1450mm Usable size of drawers 612 x 592mm. (0,37 m²). The standard cabinet has a recessed vinyl top.




9 Drawers

Order No.
C145-9




10 Drawers

Order No.
C145-10




11 Drawers

Order No.
C145-11




12 Drawers

Order No.
C145-12




14 Drawers

Order No.
C145-14




14 Drawers

Order No.
C145-14.1




15 Drawers

Order No.
C145-15




18 Drawers

Order No.
C145-18

















22 Drawers



Order No.
C145-22






Small parts utility boxes are manufactured from impact resistant ABS plastic and are supplied in various sizes. They can be secured with flush fitting clips these being exchangeable for transparent label holders.

																																															
Length	Depth	Height	Order No.	Length	Depth	Height	Order No.	Length	Depth	Height	Order No.	Length	Depth	Height	Order No.	Length	Depth	Height	Order No.																												
75	75	30	MP-7530	125	75	30	MP-12530	150	75	30	MP-15030	75	75	30	MP-15030	150	75	30	MP-15030																												
75	75	52	MP-7552	125	75	52	MP-12552	150	75	52	MP-15052	75	75	52	MP-15052	150	75	52	MP-15052																												
																																															
Order No. UTILITY CLIP								Order No. LABEL HOLDER																																							
												68 clips are included																								53 clips are included											
Qty.	Depth	Width	Height	Order No.	Qty.	Depth	Width	Height	Order No.	Qty.	Depth	Width	Height	Order No.	Qty.	Depth	Width	Height	Order No.																												
24	150	75	30	MP-1257530H	24	150	75	30	MP-1507530H	24	150	75	30	MP-1507530H	24	150	75	30	MP-1507530H																												
8	125	75	30		8	125	75	30		8	125	75	30		8	125	75	30																													
24	150	75	52	MP-1257552H	24	150	75	52	MP-1507552H	24	150	75	52	MP-1507552H	24	150	75	52	MP-1507552H																												
8	125	75	52		8	125	75	52		8	125	75	52		8	125	75	52																													
												97 clips are included																																			
Qty.	Depth	Width	Height	Order No.																																											
48	75	75	30	MP-757530H																																											
8	125	75	30																																												
48	75	75	52	MP-757552H																																											
8	75	75	52																																												
<p>3-way troughs are manufactured from impact resistant ABS plastic with suitable dividers to fit into slots of 25mm distance. Suitable for storing end-mills, drills, etc</p>																				<p>Comprising: 24x3way troughs 72 dividers</p>																											
																								Order No. TROUGH DIVIDER												Order No. MP24-3-DIV											






Drawer metal partitioning are modular and can be slotted into any position. These metal dividers are available for any size drawers (Manufactured from quality cold rolled sheet steel.)


2-way

Drawer Size	Partitions	Dividers	Order No.
100mm	1-slotted	2	MP-36U-2/100
150mm	1-slotted	2	MP-36U-2/150
200mm	1-slotted	2	MP-36U-2/200
250mm	1-slotted	2	MP-36U-2/250
300mm	1-slotted	2	MP-36U-2/300


3-way

Drawer Size	Partitions	Dividers	Order No.
50mm	2-slotted	8	MP-36U-3/50
75mm	2-slotted	8	MP-36U-3/75
100mm	2-slotted	8	MP-36U-3/100
150mm	2-slotted	8	MP-36U-3/150


4-way

Drawer Size	Partitions	Dividers	Order No.
50mm	3-plain	0	MP-36U-4/50
75mm	3-plain	0	MP-36U-4/75
100mm	3-plain	0	MP-36U-4/100
150mm	3-plain	0	MP-36U-4/150


5-way

Drawer Size	Partitions	Dividers	Order No.
50mm	4-slotted	20	MP-36U-5/50
75mm	4-slotted	20	MP-36U-5/75
100mm	4-slotted	20	MP-36U-5/100
150mm	4-slotted	20	MP-36U-5/150


6-way

Drawer Size	Partitions	Dividers	Order No.
50mm	5-slotted	20	MP-36U-6/50
75mm	5-slotted	20	MP-36U-6/75
100mm	5-slotted	20	MP-36U-6/100
150mm	5-slotted	20	MP-36U-6/150


7-way

Drawer Size	Partitions	Dividers	Order No.
50mm	6-slotted	27	MP-36U-7/50
75mm	6-slotted	27	MP-36U-7/75
100mm	6-slotted	27	MP-36U-7/100
150mm	6-slotted	27	MP-36U-7/150



Customised laser cut rubber inserts for the storage and safekeeping of tools, measuring, mechanical, or electrical test equipment. Control and quick identification of missing tools or equipment (Top layer of rubber in black, bottom layer in blue, or yellow.)





Dimensions in mm

Rubber Depth	Length	Width	Order No.
10	610	588	FOAM-INS10
15	610	588	FOAM-INS15
20	610	588	FOAM-INS20



Dimensions in mm

Rubber Depth	Length	Width	Order No.
10	610	588	FOAM-INS10
15	610	588	FOAM-INS15
20	610	588	FOAM-INS20





Compact drawer cabinets with bin storage and lockable doors, fitted with 5 x 100mm drawers.



6 x SB315

Width 845
Depth 705
Height 1600

Order No.
CS 1600L-2S-D

3 x SB210
6 x SB315

Width 845
Depth 705
Height 1960

Order No.
CS 2000L-3S-D2




Order No.
CS 1800L-2S




Order No.
C200-6




The C200 cabinet dimensions Width 1023mm, Depth 705mm, Height 1000mm. Usable size of drawers 918 x 592mm (0,54m²). Usable cabinet height 900mm. The standard cabinet has a recessed vinyl top.




6 Drawers

Order No.
C200-6



7 Drawers

Order No.
C200-7



8 Drawers

Order No.
C200-8



9 Drawers

Order No.
C200-9



9 Drawers

Order No.
C200-9.1



9 Drawers

Order No.
C200-9.2


10 Drawers

Order No.
C200-10


11 Drawers


Order No.
C200-11


12 Drawers

Order No.
C200-12




The C245 cabinet dimensions Width 1023mm, Depth 705mm, Height 1450mm Usable size of drawers 918 x 592mm (0.54m²)
The standard cabinet has a recessed vinyl top.




9 Drawers

Order No.
C245-9




10 Drawers

Order No.
C245-10




11 Drawers

Order No.
C245-11




12 Drawers

Order No.
C245-12




14 Drawers

Order No.
C245-14




14 Drawers


Order No.
C245-14.1



15 Drawers

Order No.
C245-15



18 Drawers

Order No.
C245-18


22 Drawers


Order No.
C245-22

Impact Resistant ABS

80 clips
are included

Qty.	Depth	Width	Height	Order No.
36	150	75	30	MP-1507530(54U)
12	125	75	30	
36	150	75	52	MP-1507552(54U)
12	125	75	52	


Impact Resistant ABS

149 clips
are included

Qty.	Depth	Width	Height	Order No.
72	75	75	30	MP-757530(54U)
12	125	75	30	
72	75	75	52	MP-757552(54U)
12	125	75	52	




Conductive Polymer

SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS
80 clips
are included

Qty.	Depth	Width	Height	Order No.
36	150	75	30	MP-1507530(54U)
12	125	75	30	
36	150	75	52	MP-1507552(54U)
12	125	75	52	




Conductive Polymer

SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS
149 clips
are included

Qty.	Depth	Width	Height	Order No.
72	75	75	30	MP-757530(54U)
12	125	75	30	
72	75	75	52	MP-757552(54U)
12	125	75	52	

Troughs and metal partitions

3-Way troughs are manufactured from impact resistant ABS plastic with suitable dividers to fit into slots of 25mm distance. Suitable for storing end-mills, drills, etc.




Order No.
TROUGH
DIVIDER

Comprising of
36 x 3 way Troughs
and 108 dividers


Order No.
MP36-3

Drawer metal partitioning is modular and can be slotted into various positions. These metal dividers are available for any size drawers. (manufactured from quality cold rolled sheets)




3-way

Drawer size	Partitions	Dividers	Order No.
50mm	2-slotted	2	MP-54U-3/50
75mm	2-slotted	2	MP-54U-3/75
100mm	2-slotted	2	MP-54U-3/100
150mm	2-slotted	2	MP-54U-3/150
200mm	2-slotted	2	MP-54U-3/200
250mm	2-slotted	2	MP-54U-3/250




5-way

Drawer size	Partitions	Dividers	Order No.
75mm	4-slotted	5	MP-54U-5/75
100mm	4-slotted	5	MP-54U-5/100
150mm	4-slotted	5	MP-54U-5/150
200mm	4-slotted	5	MP-54U-5/200
250mm	4-slotted	5	MP-54U-5/250



6-way

Drawer size	Partitions	Dividers	Order No.
50mm	5-slotted	12	MP-54U-6/50
75mm	5-slotted	12	MP-54U-6/75
100mm	5-slotted	12	MP-54U-6/100
150mm	5-slotted	12	MP-54U-6/150



9-way

Drawer size	Partitions	Dividers	Order No.
50mm	8-slotted	12	MP-54U-9/50
75mm	8-slotted	12	MP-54U-9/75
100mm	8-slotted	12	MP-54U-9/100
150mm	8-slotted	12	MP-54U-9/150





This modular product is a very robust, quality storage unit. The units are a combination of shelves and drawers, thus economising on area space. Drawer accessories utility boxes troughs, metal partitioning are available.



36 x 36					54 x 36				
Height	1800	2000	2200	2500	Height	1800	2000	2200	2500
Width	760	760	760	760	Width	1080	1080	1080	1080
Depth	725	725	725	725	Depth	725	725	725	725
Order No.	36C518	36C520	36C522	36C525	Order No.	54C518	54C520	54C522	54C525

Manufactured from 1.2mm quality sheet steel epoxy painted in RAL 7035.

Two A4 drawing holders are installed at the rear of unit. Sides provided with handle cutout and two single prongs 35mm. Tool holders trays are secured with supa quick fasteners and can be changed easily. You can choose the tray configuration required.

Order No.
TABLE TOOL HOLDER



Order No.
Table only
WKS150T



Order No.
Trolley only
T80.3.1RS



Order No.
SK40



Order No.
SK50



Order No.
8 tray VDI20



Order No.
5 tray VDI30





The Tool storage cabinet is robustly built, manufactured from 1.6mm sheet steel, epoxy coated in RAL 7035 light grey. The tool holder trays are height adjustable. The tool holders are manufactured from polyurethane. We offer the cabinet empty and trays separate, choose your own arrangement, or fully equipped.



Dimensions of cabinet in mm

Width	Depth	Height
1100	535	1900

Order No.
MAXITOOLCAB
Max tool cabinet without
trays and tool holders

Trays with tool holders and accessories					
Tray	SK40	SK50	VDI 20	VDI 30	Order No.
Toolholders per tray	19				19 tray SK40
		9			9 tray SK50
			40		40 tray VDI 20
				23	23 tray VDI 30
Cabinets fully equipped with toolholders					
Tray	SK40	SK50	VDI 20	VDI 30	Order No.
Toolholders per cabinet	171				Max tool cabinet SK40
		81			Max tool cabinet SK50
			360		Max tool cabinet VDI 20
				207	Max tool cabinet VDI 30



Epoxy coated in RAL 7035 and manufactured from 1.2mm quality sheet steel with castors of 100mm two fixed, two swivel with break. Perforated sides allow tool holder trays to be horizontally installed or tilted in 26 or 45 degree. Tool holder trays are secured with supa quick fasteners and can be moved easily to various positions. Two A4 drawing holders stacked horizontally, manufactured from sheet steel, are fitted either side of the trolley. Trolleys are fitted with recessed vinyl trays as a standard feature.



Dimensions of trolley in mm

Length	Width	Height
1100	500	870

Order No.

T1080
Trolley without
trays and tool holders

Trays with tool holders and accessories for T1080

Tray	SK40	SK50	VDI 20	VDI 30	Order No.
Toolholders per tray	13				13 tray SK40
		5			5 tray SK50
			28		28 tray VDI 20
				17	17 tray VDI 30




Both drawer cabinets C100-3U and C145-5U are manufactured from 1.2mm quality sheet steel and epoxy coated RAL 7035. Drawers are 100% fully extendable. Drawers with full extension have an evenly spread capacity of 200kg achieved by a fitted undercarriage. The **metmeister** dual action central locking system, will prevent opening more than one drawer simultaneously. Cabinets are fitted with recessed vinyl tops.



Drawer with undercarriage



Fully equipped drawer



Tray with tool holders

Trays with tool holders

Tray	SK40	SK50	VDI 20	VDI 30	Order No.
Toolholders	52				52 tray SK40
per tray		25			25 tray SK50
			81		81 tray VDI 20
				64	64 tray VDI 30

3 Drawers



Overall Height
1000

Width
715

Depth
705

Order No.
C100-3U

5 Drawers



Overall Height
1450

Width
715

Depth
705

Order No.
C145-5U





Bins are available in standard or antistatic polypropylene. Bins are of highest quality. They are manufactured with ribs and are thus robust receptacles. They are easily and safely stacked on support rails, with label holders in front of the bin for content identification. Standard bins are available in five colours - red, yellow, green, blue and black. Antistatic bins are available in black only and are suitable for the storage of electronic components. Suitable for free stacking, wall storage in cabinets and shelves, trolleys and racks.

**Economical Storage Bins**


Order No.
ECOSB-105

Dimensions Length x Width x Height
160mm x 105mm x 75mm

Type	Content	Content Load	Max.stacking Mass	Order No.
Standard	0.8 litres			SB105
Antistatic	0.8 litres			A105





SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS



Order No.
ECOSB-150

Dimensions Length x Width x Height
230mm x 150mm x 125mm

Type	Content	Content Load	Max.stacking Mass	Order No.
Standard	3.0 litres	5kg	35kg	SB150
Antistatic	3.0 litres	5kg	35kg	A150




SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS



Order No.
ECOSB-210

Dimensions Length x Width x Height
350mm x 210mm x 145mm

Type	Content	Content Load	Max.stacking Mass	Order No.
Standard	7.5 litres	15kg	90kg	SB210
Antistatic	7.5 litres	15kg	90kg	A210




SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS



Order No.
ECOSB-315

Dimensions Length x Width x Height
500mm x 315mm x 200mm

Type	Content	Content Load	Max.stacking Mass	Order No.
Standard	24 litres	35kg	180kg	SB315



**Nest and stack containers**

- Stackable with steel supports folded inwards
- Nestable with steel supports folded inwards
- Polypropylene material and zinc plated steel



Length	Width	Height
695	445	300

Order No.
LPW148

Security containers

- Provision for padlock or seal in closed position to secure.
- Polypropylene material
- Nestable with lid flipped in open position.
- Stackable with lid in closed position



Length	Width	Height	Capacity
600	400	315	55lt
400	300	315	26lt
300	200	182	6.5lt

Order No.
LPC 1573
LPC 1609
LPC 7005

**Stillage bins**

The sides and floors of these bins are manufactured from 1.6mm hot rolled sheet steel which is corrugated for strength. The 50x50x6mm angle iron legs are fitted with 3mm steel cupped square feet for stacking.

Order No	Dimensions	Mass (kg)	Load Capacity (kg)
SSB2212	610x610x305	28	400
SSB3212	915x610x305	38	800
SSB3218	915x610x460	45	900
SSB3224	915x610x610	54	1200
SSB3318	915x915x460	53	1300
SSB3324	915x915x610	63	1800
SSB3330	915x915x760	74	2000
SSB4318	1200x915x460	63	1800
SSB4324	1200x915x610	74	2000
SSB4330	1200x915x760	84	2200

**Stackable skip bins**

These bins have a 140mm underside clearance for fork lifts or pallet trucks. The square tubing legs are fitted with 3mm steel cupped square feet for stacking.

Order No	Dimensions(mm)	Mass (kg)	Load Capacity (kg)
SKIP 300	780x500x300	20	300
SKIP 480	780x500x480	27	400

**Drop front stillage bins.**

Half of the front panel can be opened to access contents. Dropfront and front panels are manufactured from expanded metal within an angle iron framework.

Order No	Dimensions(mm)	Mass (kg)	Load Capacity (kg)
SBD 3218	915x619x460	47	900
SBD 3224	915x610x610	56	1200
SBD 3318	915x915x460	55	1300
SBD 3324	915x915x610	65	1800
SBD 3330	915x915x760	76	2000
SBD 4318	1200x915x460	65	1800
SBD 4324	1200x915x610	76	2000
SBD 4330	1200x915x760	86	2200



RD 1521

Industrial cabinets

The "Maximiser" is an industrial cabinet, robustly built, manufactured from 1.6mm sheet steel. It has been optimized and offers incredible space on a small floor area.

Epoxy coated in RAL 7035 light grey. The cabinet contains 5 shelves with **metmeister** bins. 20 x SB210, 3x SB 315, 1 shelf suitable for files. Lockable doors are equipped with 40 x SB105 **metmeister** bins for additional storage space. Doors are strengthened for extra load. Bins are firmly secured by horizontal rails, but easy to move. 3 Drawers are fitted with full extension, suitable for approx 40kg distributed load. Adjustable threaded rods are fitted in the front of the cabinet for levelling on uneven surface.

Files are excluded.

Dimensions in mm

Width	Depth	Height	Order No.
1100	535	1900	MAX CABINETDRAWER

As above but with 7 shelves and 9 x SB315

Width	Depth	Height	Order No.
1100	535	1900	MAX CABINETDRAWERBIN



Order No.
MAX CABINETDRAWERBIN



Order No.
MAX CABINETDRAWER



The "Maximiser" is an industrial cabinet, robustly built, manufactured from 1.6mm sheet steel. It has been optimized and offers incredible space on a small floor area.

Epoxy coated in RAL 7035 light grey. The cabinet contains 3 shelves with **metmeister** bins 10 x SB210, 3 x SB315. Lockable doors are equipped with 40 x SB105 **metmeister** bins for additional storage space. Doors are strengthened for extra load. Bins are firmly secured by horizontal rails, but easy to move. 1 shelf fitted with a 32mm laminated worktop in durable PVC light grey, (folkstone grey) hinged to move 90 degrees in the lockable up position suitable to store tower and monitor. 1 Shelf suitable for files. 3 Drawers are fitted with full extension, suitable for approx 40kg distributed load. Adjustable threaded rods are fitted in the front of the cabinet for levelling on uneven surface. Files and computer equipment are excluded.

Dimensions in mm

Width	Depth	Height	Order No.
1100	535	1900	MAX PCCABINET



PC cabinet shown in the lockable position.



Order No.
MAX PCCABINET

Industrial cabinets

The "Maximiser" is an industrial cabinet, robustly built, manufactured from 1.6mm sheet steel. It has been optimized and offers incredible space on a small floor area.

Epoxy coated in RAL 7035 light grey. The cabinet contains 7 shelves with **metmeister** bins 20 x SB210, 9 x SB315. 1 shelf suitable for files. Lockable doors are equipped with 40 x **metmeister** SB105 bins for additional storage space. Doors are strengthened for extra load. Bins are firmly secured by horizontal rails, but easy to move. Adjustable threaded rods are fitted in the front of the cabinet for levelling on uneven surfaces. Files are excluded.

Dimensions in mm

Width	Depth	Height	Order No.
1100	535	1900	MAX CABINET SHELF

As above but with 8 shelves and 12 x SB315

Width	Depth	Height	Order No.
1100	535	1900	MAX BINCABINET



Order No.
MAX BINCABINET



Order No.
MAX CABINET SHELF




Cabinets with lockable doors manufactured from 1.2mm cold rolled steel. Shelves are adjustable (15mm pitch) Colour Reseda green RAL 6011 or blue RAL 5012 epoxy powder coated.



Order No.
SBC 15

Cabinets with lockable doors manufactured from 1.2mm cold rolled steel. Shelves are adjustable (15mm pitch) Colour Reseda green RAL 6011 or blue RAL 5012 epoxy powder coated.




Fitted with
63xSB150 Colour
storage bins.

Dimensions WxDxH
1090 x 290 x 1600

Shelves
8

Order No.
SBC 15




Fitted with
35xSB150,
40xSB105 Colour
storage bins.

Dimensions WxDxH
1090 x 290 x 1600

Shelves
8

Order No.
SBC 1015




Fitted with
30xSB105,
21xSB150
10xSB210 Colour
storage bins.

Dimensions WxDxH
1090 x 400 x 1600

Shelves
7

Order No.
SBC101521




Fitted with
3 shelves.

Dimensions WxDxH
1090 x 290 x 1600

Shelves
3

Order No.
SBC 3SH




Fitted with
50xSB210 Colour
storage bins.

Dimensions WxDxH
1090 x 400 x 1900

Shelves
9

Order No.
SBC 21



Fitted with
30xSB210
35xSB150 Colour
storage bins.

Dimensions WxDxH
1090 x 400 x 1900

Shelves
10

Order No.
SBC 1521



metmeister bins have been designed to be compatible with metmeister steel cabinets for optimal storage. Bins can be used in any configuration, all shelves are height adjustable. Colour Reseda green RAL 6011 or blue RAL 5012 epoxy powder coated.



40 x SB105
35 x SB150

Dimensions WxDxH
1090 x 290 x 1600

Shelves
8

Order No.
CAB1015



50 x SB210

Dimensions WxDxH
1090 x 400 x 1900

Shelves
9


Order No.
CAB21



Order No.
SBC 15



Order No.
SBC 21




Dimensions WxDxH
1090 x 400 x 1900

4 Shelves

Order No.
SBC 4SH

Fitted with glass doors.



Dimensions WxDxH
1090 x 400 x 1900

6 Shelves

Order No.
SBC 6SHG

Shelf for steel cabinets




Order No.
SBC SHELF




Louvre panels from **metmeister** allow bins to be suspended on walls, workbenches, in cabinets or freestanding units. Bins can be hooked onto the louvre panels in any position and various configurations to allow organised and concentrated small parts storage. Louvre panels are supplied complete with the necessary fixings for brickwork walls. They are available in epoxy powder paint or zinc electroplated. The zinc electroplated version provides a good corrosion-proof protection and is less expensive than the epoxy powder coat.

		Epoxy paint	Zinc electroplated
Width	Height	Order No.	Order No.
500	450	LOUVRE 1	LOUVRE 1Z
500	900	LOUVRE 2	LOUVRE 2Z
500	1400	LOUVRE 3	LOUVRE 3Z
500	1800	LOUVRE 4	LOUVRE 4Z



Inclusive of wall plugs, screws and washers.
8mm masonry drill bit required.



16 x SB105

	Width	Height	Order No.
Paint	500	450	LW1
Zinc	500	450	LW1Z



4 x SB105
6 x SB150

	Width	Height	Order No.
Paint	500	450	LW6
Zinc	500	450	LW6Z



20 x SB105
6 x SB150




16 x SB105
9 x SB150

	Width	Height	Order No.
Paint	500	900	LW2
Zinc	500	900	LW2Z

	Width	Height	Order No.
Paint	500	900	LW5
Zinc	500	900	LW5Z





12 x SB105
12 x SB150
4 x SB210



15 x SB150
6 x SB210

	Width	Height	Order No.
Paint	500	1400	LW9
Zinc	500	1400	LW9Z

	Width	Height	Order No.
Paint	500	1400	LW10
Zinc	500	1400	LW10Z





	Width	Height	Order No.
Paint	500	1800	LW4
Zinc	500	1800	LW4Z



	Width	Height	Order No.
Paint	500	1800	LW12
Zinc	500	1800	LW12Z



	Width	Height	Order No.
Paint	500	1800	LW3
Zinc	500	1800	LW3Z




Freestanding louvre panel racks available in 1400mm and 1800mm heights, can be configured in double and single sided applications. Louvre panels are removable, allowing the racks to be reconfigured or dismantled for ease of transportation and handling. Common supports are used for runs of two or more freestanding units.

Adjustable feet are fitted to overcome uneven floors and a bolted assembly with lateral gussets ensures a robust construction.(DS - Double sided, SS - Single sided)


Order No.


Paint LOUVRE RACK 1800DS/SS
Zinc LOUVRE RACK 1800ZDS/SS

First bay 1100mm wide.


Order No.

Paint LOUVRE RACK 1800EXTDS/SS
Zinc LOUVRE RACK 1800EXTZDS/SS

First bay 1100mm wide, extension bay 1030mm wide.


Order No.

Paint LOUVRE RACK 1400DS/SS
Zinc LOUVRE RACK 1400ZDS/SS


Louvred panel rack 1400 and 1800mm high



All racks suitable for both single and double sided application.



Using M8 rivet nuts for bolted assembly of louvre panels.



Adjustable leveling foot.



Single sided 18 x SB150
32 x SB105 16 x SB210

	Width	Height	Order No.
Paint	1100	1890	LFS 3
Zinc	1100	1890	LFS 3Z



Double sided 96 x SB105
60 x SB150

	Width	Height	Order No.
Paint	1100	1490	LFD 8
Zinc	1100	1490	LFD 8Z



Double sided 108 x SB150

	Width	Height	Order No.
Paint	1100	1490	LFD 7
Zinc	1100	1490	LFD 7Z



Double sided 72 x SB150
16 x SB210

	Width	Height	Order No.
Paint	1100	1490	LFD 10
Zinc	1100	1490	LFD 10Z



Single sided

24 x SB210

	Width	Height	Order No.
Paint	1100	1490	LFS 13
Zinc	1100	1490	LFS 13Z



Single sided

64 x SB105
36 x SB150

	Width	Height	Order No.
Paint	1100	1890	LFS 12
Zinc	1100	1890	LFS 12Z



Single sided

66 x SB150

	Width	Height	Order No.
Paint	1100	1890	LFS 14
Zinc	1100	1890	LFS 14Z



Single sided

32 x SB210

	Width	Height	Order No.
Paint	1100	1890	LFS 11
Zinc	1100	1890	LFS 11Z



	Width	Height	Order No.
Paint	1100	1490	LFS 8
Zinc	1100	1490	LFS 8Z



	Width	Height	Order No.
Paint	1100	1490	LFS 7
Zinc	1100	1490	LFS 7Z



	Width	Height	Order No.
Paint	1100	1490	LFS 10
Zinc	1100	1490	LFS 10Z



	Width	Height	Order No.
Paint	1100	1490	LFS 9
Zinc	1100	1490	LFS 9Z



	Width	Height	Order No.
Paint	1100	1490	LFD 9
Zinc	1100	1490	LFD 9Z



	Width	Height	Order No.
Paint	1100	1890	LFD 12
Zinc	1100	1890	LFD 12Z



	Width	Height	Order No.
Paint	1100	1890	LFD 14
Zinc	1100	1890	LFD 14Z



	Width	Height	Order No.
Paint	1100	1890	LFD 4
Zinc	1100	1890	LFD 4Z

Bin storage

Free standing louvre panels for standard and antistatic bins



Double sided 64 x SB210

	Width	Height	Order No.
Paint	1100	1890	LFD 11
Zinc	1100	1890	LFD 11Z


Double sided 36 x SB150
64 x SB105 32 x SB210

	Width	Height	Order No.
Paint	1100	1890	LFD 3
Zinc	1100	1890	LFD 3Z

Static
Dissipative**SABS**
RESISTIVITY IEC93
FOR ANTISTATIC BINS

Single sided 54 x SB150

	Width	Height	Order No.
Paint	1100	1490	LFS 7AS
Zinc	1100	1490	LFS 7ASZ

Static
Dissipative**SABS**
RESISTIVITY IEC93
FOR ANTISTATIC BINS


Single sided 28 x SB210

	Width	Height	Order No.
Paint	1100	1490	LFS 13AS
Zinc	1100	1490	LFS 13ASZ



Static
Dissipative

SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS



Single sided

66 x SB150

	Width	Height	Order No.
Paint	1100	1890	LFS 14AS
Zinc	1100	1890	LFS 14ASZ



Static
Dissipative

SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS



Single sided


36 x SB210

	Width	Height	Order No.
Paint	1100	1890	LFS 11AS
Zinc	1100	1890	LFS 11ASZ



Static
Dissipative

SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS



Double sided


108 x SB150

	Width	Height	Order No.
Paint	1100	1490	LFD 7AS
Zinc	1100	1490	LFD 7ASZ



Static
Dissipative

SABS
RESISTIVITY IEC93
FOR ANTISTATIC BINS




Double sided

56 x SB210


	Width	Height	Order No.
Paint	1100	1490	LFD 13AS
Zinc	1100	1490	LFD 13ASZ

Bin storage

Free standing louvre panels for antistatic bins



	Width	Height	Order No.
Paint	1100	1890	LFD 14AS
Zinc	1100	1890	LFD 14ASZ



	Width	Height	Order No.
Paint	1100	1890	LFD 11AS
Zinc	1100	1890	LFD 11ASZ






This wall upright and rail system has been designed for heavier loads to facilitate **metmeister** bins. The uprights shall be fastened to the wall with wall plugs. Horizontal rails with cutouts are used to clip **metmeister** bins to each other.



*Horizontal rail for SB105, 150, 210 bins

Length	Order No.
1150mm	H RAIL 1




*Horizontal rail for SB315 bins

Length	Order No.
1150mm	H RAIL 2



Vertical rail Length in mm	Order No.
1000	V1
1500	V1.5
2000	V2

*Mounting brackets to hold horizontal rail, with bolts, nuts and washers included.





14 x SB150
15 x SB210

Width	Height	Order No.
1150	1000mm	W1M1521A



30 x SB105
7 x SB150
10 x SB210

Width	Height	Order No.
1150	1000mm	W1M101521A



70 x SB105

Width	Height	Order No.
1150	1000mm	W1M10A



40 x SB105
7 x SB150
5 x SB210

Width	Height	Order No.
1150	1000	W1M101521B



35 x SB150

Width	Height	Order No.
1150	1000	W1M15A




20 x SB105
7 x SB150
5 x SB210
3 x SB315


Width	Height	Order No.
1150	1000	W1M10152131



Width	Depth	Height	Order No.
1000	500	1850	SBS 31



Width	Depth	Height	Order No.
1000	400	1850	SBS 21



Width	Depth	Height	Order No.
1000	300	1850	SBS 15



Compact small parts trolley suitable for heavier loads, easy to access. Change bin sizes through height adjustment of rails. Bins are firmly secured by horizontal rails. Castors of 100mm, two swivel one brake and two fixed.




Single sided

Order No.
 TS 101521


Single sided

 Dimensions WxDxH
 1150 x 530 x 1610

 21 x SB150
 20 x SB210

Order No.
 TS 1521


Single sided

 Dimensions WxDxH
 1150 x 530 x 1610


 50 x SB105
 14 x SB150
 10 x SB210

Order No.
 TS 101521



Double sided

Order No.
TD 101521




Double sided

Dimensions WxDxH
1150 x 740 x 1610

42 x SB150
40 x SB210

Order No.
TD 1521



Double sided

Dimensions WxDxH
1150 x 740 x 1610

80 x SB105
28 x SB150
20 x SB210

Order No.
TD 101521



Available in heights of 1500 and 2070mm for heavier loads. Fitted with adjustable feet for levelling on uneven surfaces. Bin type SB 315 (500x315x200mm) are supported by heavy duty rails of 2.5mm thick steel profile. Change bin sizes through height adjustment of rails.



Single sided

40 x SB105 10 x SB210
21 x SB150 6 x SB315

Dimensions WxDxH
1150 x 600 x 2070

Order No.
RS 10152131




Single sided

21 x SB315

Dimensions WxDxH
1150 x 600 x 2070

Order No.
RS 31




Single sided

21 x SB150
20 x SB210

Dimensions WxDxH
1150 x 530 x 1500

Order No.
RS 1521



Single sided


40 x SB105
14 x SB150
10 x SB210

Dimensions WxDxH
1150 x 530 x 1500

Order No.
RS 101521



Order No.
TS 101521




Double sided

Dimensions WxDxH
1150 x 740 x 1500

80 x SB105
28 x SB150
20 x SB210

Order No.
RD 101521



Double sided

Dimensions WxDxH
1150 x 740 x 1500

42 x SB150
40 x SB210

Order No.
RD 1521



Order No.
TD 101521



Order No.
TS 101521



Order No.
TD 1521



Order No.
RS 101521

Trolley MF101521 for heavier loads, manufactured from 1.6 and 2mm quality sheet steel. Fitted with 2 chrome handles at each side and one top tray 535x300mm. All bins are firmly secured by horizontal rails. Castors of 125mm, two swivel and two fixed are fitted. The trolley is epoxy powder coated in RAL 6011 Reseda green. Different bin configurations are possible, rails and uprights are adjustable.



20 x SB105
9 x SB150
4 x SB210

Dimensions WxDxH
590 x 650 x 1075

Order No.
MF101521



Trolley with toolbox

Order No.
MFW101521

Trolley MFW 101521 but equipped with a padlockable toolbox and wire reels. Extra strong toolbox size WxDxH 530 x 295 x 200mm with tray. It is possible to lock or unlock the toolbox to the framework of the trolley.

10 plastic utility boxes WxDxH 125x75x52mm are for small parts storage in the upper tray of the tool box. Four wire reels are installed. Each of the reels shall store 100m of wire up to 2.5mm.




Trolley MFFILES for office use. Castors of 100mm, two swivel and two fixed are fitted.


Order No.
MFFILES




Various applications for **silvermark** range



 **Boltless Shelving System**, can be assembled in many various combinations, establishing the most suitable layout for your application. Double story combinations are part of the system and create effective space saving. Multiple accessories, such as bins, containers, racks for tyre storage, exhaust racks, compartments and dividers for windscreens, etc., are available. Construction layouts are to be certified, in order to ensure maximum safety.
















Boltless shelving is easy to install, height adjustable with a pitch of 25mm. All components to build a systems, such as frame, shelves, cross - members, dividers, support brackets for shelves, side and back - walls are made of zinc galvanised sheet steel. Installation time is cut to a minimum.



Height 2015mm		5 shelves		135kg shelf load	
First bay	Add bay	Depth	Bay width	First bay	Add bay
				Order No.	Order No.
		300	1020	5SHELF-3B	5SHELF-3A
		400	1020	5SHELF-4B	5SHELF-4A
		500	1020	5SHELF-5B	5SHELF-5A
		600	1020	5SHELF-6B	5SHELF-6A
		800	1020	5SHELF-8B	5SHELF-8A
Height 2515mm		6 shelves		135kg shelf load	
First bay	Add bay	Depth	Bay width	First bay	Add bay
				Order No.	Order No.
		300	1020	6SHELF-3B	6SHELF-3A
		400	1020	6SHELF-4B	6SHELF-4A
		500	1020	6SHELF-5B	6SHELF-5A
		600	1020	6SHELF-6B	6SHELF-6A
		800	1020	6SHELF-8B	6SHELF-8A

Accessories for zinc galvanised boltless shelving





Bay width 1020mm

Height 3015mm			7 shelves		135kg shelf load		
First bay	Add bay	Depth	Bay width	First bay	Add bay		
				Order No.	Order No.		
		300	1020	7SHELF-3B	7SHELF-3A		
		400	1020	7SHELF-4B	7SHELF-4A		
		500	1020	7SHELF-5B	7SHELF-5A		
		600	1020	7SHELF-6B	7SHELF-6A		
		800	1020	7SHELF-8B	7SHELF-8A		
Zinc galvanised upright for boltless shelving.							
		side support upright base foot		Shelf support channel side support rear support			
		mm	mm	Depth in mm			
Height		Length	300	400	500	600	800
Rear support				Order No.			
				REARSUPPORT			
Side wall							
				Order No.	Order No.	Order No.	Order No.
		2015		S203	S204	S205	S206
		2515		S253	S254	S255	S256
		3015		S303	S304	S305	S306
Back wall							
				Order No.			
		525	1000	B52			
		1050	1000	B105			
Divider				Order No.	Order No.	Order No.	Order No.
		170		D173	D174	D175	D176
		230		D233	D234	D235	D236
		280		D283	D284	D285	D286
Shelf							
				Order No.	Order No.	Order No.	Order No.
			1000	SHELF 300	SHELF 400	SHELF 500	SHELF 600
							SHELF 800
Load capacity 135kg							

bolted shelves are height adjustable with a pitch of 25mm and have a distributed load capacity of up to 135kg. All uprights are made of 2.0mm thick mild sheet steel painted in black epoxy and fitted with zinc galvanised feet. Shelves are manufactured from zinc galvanised sheet steel.





Height 1865mm		5 shelves		135kg shelf load	
Bay	Depth	Bay width	Bay		
			Order No.		
	300	1005	5SHELF-3		
	400	1005	5SHELF-4		
	500	1005	5SHELF-5		
	600	1005	5SHELF-6		
Height 2215mm		6 shelves		135kg shelf load	
Bay	Depth	Bay width	Bay		
			Order No.		
	300	1005	6SHELF-3		
	400	1005	6SHELF-4		
	500	1005	6SHELF-5		
	600	1005	6SHELF-6		
Height 2465mm		7 shelves		135kg shelf load	
Bay	Depth	Bay width	Bay		
			Order No.		
	300	1005	7SHELF-3		
	400	1005	7SHELF-4		
	500	1005	7SHELF-5		
	600	1005	7SHELF-6		
Height 2900mm		8 shelves		135kg shelf load	
Bay	Depth	Bay width	Bay		
			Order No.		
	300	1005	8SHELF-3		
	400	1005	8SHELF-4		
	500	1005	8SHELF-5		
	600	1005	8SHELF-6		



Bay load: 4000kg
 Upright frames: Epoxy powder coated RAL 5015
 Shelves: Epoxy powder coated RAL 7035 and South African pine

Shelf load table:
 Uniformly distributed capacities.



Colour scheme RAL 5015



Colour scheme RAL 7035


Shelf size	Steel shelf	Timber deck 22mm Pine	Timber deck 36mm Pine
900 x 600mm	800kg	800kg	800kg
1500 x 600mm	800kg	800kg	800kg
2100 x 600mm	670kg	670kg	670kg
900 x 1200mm	800kg	180kg	470kg
1500 x 1200mm	800kg	270kg	700kg
2100 x 1200mm	670kg	360kg	670kg

This popular, rigid, cost effective system is capable of supporting mezzanine floors. Shelves are boltless, thus levels may be altered. Assembly time is cut to a minimum.


Additional Shelf Levels

Comprises of 2 x shelf support beams and deck (timber or steel)


Bay width (mm)	Bay depth (mm)	Steel shelf	Timber deck 22mm Pine	Timber deck 36mm Pine
900mm	600mm	MS0906	MM0906	MH0906
900mm	1200mm	MS0912	MM0912	MH0912
1500mm	600mm	MS1506	MM1506	MH1506
1500mm	1200mm	MS1512	MM1512	MH1512
2100mm	600mm	MS2106	MM2106	MH2106
2100mm	1200mm	MS2112	Mm2112	MH2112

**Height 2100mm (H)****3 shelves/deck**

Depth D	Bay width W	Steel Shelf	Steel Shelf	Timber deck 22mm	Timber deck 22mm	Timber deck 36mm	Timber deck 36mm
		First Bay	Add Bay	First Bay	Add Bay	First Bay	Add Bay
		Order No.	Order No.	Order No.	Order No.	Order No.	Order No.
600	900	MFS 210906	MES 210906	MFM 210906	MEM 210906	MFH 210906	MEH 210906
1200	900	MFS 210912	MES 210912	MFM 210912	MEM 210912	MFH 210912	MEH 210912

Height 2100mm (H)**3 shelves/deck**

Depth D	Bay width W	Steel Shelf	Steel Shelf	Timber deck 22mm	Timber deck 22mm	Timber deck 36mm	Timber deck 36mm
		First Bay	Add Bay	First Bay	Add Bay	First Bay	Add Bay
		Order No.	Order No.	Order No.	Order No.	Order No.	Order No.
600	1500	MFS 211506	MES 211506	MFM 211506	MEM 211506	MFH 211506	MEH 211506
1200	1500	MFS 211510	MES 211512	MFM 211512	MEM 211512	MFH 211512	MEH 211512

Height 2100mm (H)**3 shelves/deck**

Depth D	Bay width W	Steel Shelf	Steel Shelf	Timber deck 22mm	Timber deck 22mm	Timber deck 36mm	Timber deck 36mm
		First Bay	Add Bay	First Bay	Add Bay	First Bay	Add Bay
		Order No.	Order No.	Order No.	Order No.	Order No.	Order No.
600	2100	MFS 212106	MES 212106	MFM 212106	MEM 212106	MFH 212106	MEH 212106
1200	2100	MFS 212112	MES 212112	MFM 212112	MEM 212112	MFH 212112	MEH 212112

Timber decks of South African pine, are planed all round and kiln dried.
Footplates and shims are part of the system and delivered free of charge.

Bolted shelving

Bay width 914mm

Bolted shelving for light duty application. Epoxy powder coated in RAL 7032. Shelves manufactured from quality steel are height adjustable with a pitch of 38mm. All bays include sufficient corner gussets, nuts and bolts. Accessories such as side and rear cladding are available.









Colour scheme RAL 7032



Height 1829mm		5 shelves		
Depth	Bay width	Bay	Side Wall	Back Wall
		Order No.	Order No.	Order No.
305	914	5BO-3	S18-305	
381	914	5BO-4	S18-381	BACK 18
457	914	5BO-5	S18-457	
610	914	5BO-6	S18-610	







	Height 2134mm		6 shelves		
	Depth	Bay width	Bay	Side Wall	Back Wall
			Order No.	Order No.	Order No.
	305	914	6BO-3	S21-305	
	381	914	6BO-4	S21-381	BACK 21
	457	914	6BO-5	S21-457	
	610	914	6BO-6	S21-610	
	Height 2438mm		7 shelves		
	Depth	Bay width	Bay	Side Wall	Back Wall
			Order No.	Order No.	Order No.
	305	914	7BO-3	S24-305	
	381	914	7BO-4	S24-381	BACK 24
	457	914	7BO-5	S24-457	
	610	914	7BO-6	S24-610	
	Height 3048mm		8 shelves		
	Depth	Bay width	Bay	Side Wall	Back Wall
			Order No.	Order No.	Order No.
	305	914	8BO-3	S30-305	
	381	914	8BO-4	S30-381	BACK 30
	457	914	8BO-5	S30-457	
	610	914	8BO-6	S30-610	
	Dividers and dividing clips (sold in packs of 10)				
	Depth	Height 152 Order No.	Height 228 Order No.	Height 305 Order No.	Height 340 Order No.
	305	1BD-3	2BD-3	3BD-3	4BD-3
	381	1BD-4	2BD-4	3BD-4	4BD-4
	457	1BD-5	2BD-5	3BD-5	4BD-5
	610	1BD-6	2BD-6	3BD-6	4BD-6
	Shelves				
	Depth	Capacity	Order No.		
	305	120kg	BS 305		
	381	120kg	BS 381		
	457	120kg	BS 457		
	610	120kg	BS 610		

Long span boltless shelving

Bay width 2000mm



Width:	2000mm	Shelves:	Zinc galvanised with bottom stiffener
Height:	Available in 2000 and 2500mm	Depth:	500, 600, 800mm
Shelf load:	350kg	Horizontal shelf support:	Epoxy powder coated black
Bay load:	1600kg		
Uprights:	Zinc galvanised		

Height 2000mm		3 shelves		350kg shelf load	
First bay	Add bay	Depth	Bay width	First bay	Add bay
				Order No.	Order No.
		500	2000	3 LONG-5	3 LADD-5
		600	2000	3 LONG-6	3 LADD-6
		800	2000	3 LONG-8	3 LADD-8
Height 2500mm		4 shelves		350kg shelf load	
First bay	Add bay	Depth	Bay width	First bay	Add bay
				Order No.	Order No.
		500	2000	4 LONG-5	4 LADD-5
		600	2000	4 LONG-6	4 LADD-6
		800	2000	4 LONG-8	4 LADD-8

silvermark longspan can be fitted with 22mm South African Pine shelves, or 22mm Chipboard shelves, depending on the application.



Mezzanine floors are constructed from structural columns and beams to increase storage space.

A selection of floor surfaces are available including open steel grid and joisted timber with steel staircases and loading gates, to access these structures. Floors are tailor made to suit weight loading, height restriction and many other variables unique to each business. Call for consultation and design of your mezzanine floor requirements.







metmeister offers engineering, design manufacture and installation of cantilever racks. The above example of cantilever rack has been manufactured for the storage of sheetsteel. Four sections comprising eight levels carrying 4000kg each. Total load of rack 128000kg .This rack required a new concrete slab.







Palletised Racking

Metmeister pallet racking consists of components roll formed from quality sheet steel and epoxy powder coated in standard RAL 5015 blue and orange

Basic components

Frames (Uprights including diagonal bracing) Blue

A range of 5 options are provided by offering 2 profiles in alternative steel thickness giving load capacity from 6 to 18 tons per bay. Frames are a fully bolted construction which allows any damaged to be replaced without need of renewing the complete frame. Provision is made for floor fixing in the blue plates of each upright.

Beams(Horizontal pallet supports) Orange

Available in a wide range of profiles to meet the load requirements of almost any application. The boltless locking action of beam to upright provides positive location whilst offering easy adjustment in a 76mm pitch vertically.

A range of additional accessories are available to convert standard pallet racking into drum storage racking, heavy duty shelving, or storage racking for stillages.

Column/frame protectors, guide rails, wall ties are some of many additional accessories.

The drawer rack has been designed for the storage of tools and flat steel sheets, etc. Total rack capacity 18 tons. The drawer rack contains 6 drawers carrying a load of 3 tons each. Fully loaded drawers are manually operated.

Dimensions of rack in mm.
Length Depth Height
3000 2700 2200

Dimensions of drawer in mm.
Length Depth Height
2800 1300 230

Order No.
DRAWER-RACK






Wall mounted space saving table, manufactured from 2.5mm quality sheetsteel. Standard top fitted with black vinyl.

Dimensions in mm

Length	Depth	Order No.
1200	700	WALL TABLE1200
1500	700	WALL TABLE1500
1800	700	WALL TABLE1800




Same specifications as WALL 1200/250 and WALL 1200/350 cabinets, but doors are perforated to check content of cabinet, and are not fitted with perfo plates. Refer page 157



Order No.
 PERFO WALL 1200/250P
 PERFO WALL 1200/350P

Quality wall cabinets for the storage of tools and bins are utilised for industrial applications and are manufactured from 1.6mm cold rolled sheet steel. The wall cabinets are fitted with perforated plates for installation of tool holders and prongs. These perforated plates are each tightened with four wing fasteners, so that a quarter turn, either secures or removes the plate. The holders and prongs are secured with super quick fasteners which are easily moved to various positions. The lockable wall cabinet is epoxy coated.(Two keys are supplied). D I Y accessories (as listed) are included in the price, tools are excluded.



Order No.
WALL 1200/350

Qty.	Description
8	Perforated plates
1	16 way flat spanner holder
1	9 way screwdriver holder
1	9 way allenkey holder
1	4 way hacksaw holder
1	Tray with 6 utility boxes (150x75x52)
1	25 way drill-bit holder
1	Plier holder
20	Different prongs
1	Socket holder
1	Ring holder
1	5 way punch holder

Dimensions in mm

Length Depth Height

1200	250	1100
1200	350	1100

Order No.

WALL 1200/250
WALL 1200/350



Order No.
WALL 600/350

Industrial Perfo system "A" frame trolley


"A" frame on castors of 100mm diameter, each able to take 100kg load capacity with swivel action and two brakes. "A" frame and perforated plates are manufactured from quality cold rolled sheet steel. The "A" frame has 8 perforated plates 870 x 510mm. All tool holders are tightened from the front with super quick fasteners and can be moved easily to various positions.

The following tool holders are included in the price (tools are excluded)

Qty.	Description
1 set	16 way spanner holder
1	25 way drill-bit holder
1	9 way screwdriver holder
1	9 way allenkey holder
1	4 way hacksaw holder
1	3 way plier holder
1	19 way socket holder + provision for Universal joint, T wrench, 2 extensions
1	5 way pin punch holder
24	Different prongs
1	tray with 6 utility boxes
1	Ring holder

Height	Width	Depth
1940	1045	730

Order No.
A-FRAME



metmeister lockable floorstanding cabinet fitted with perforated plates and one shelf. Perforated plates are tightened with wing fasteners, a quarter turn secures or removes the panels from the cabinet. The toolholders and prongs are secured from the front with super quick fasteners and can be moved easily to various positions. Refer: accessories for industrial perfo system pages 156 to 160. Doors are fitted with full size glass.

Dimensions in mm

Width	Depth	Height
1090	400	1900


Order No.

GLASS PERFO CABINET



Order No.

GLASS PERFO CABINET




Qty.	Description
6	Perforated plates 510 x 510mm
1 set	16 way spanner holder
1	19 way socket holder + provision for Universal joint, T wrench, 2 extensions, ratchet handle
1	9 way screwdriver holder
1	9 way allenkey holder
1	4 way hacksaw holder
1	5 way pin punch holder
1	25 way drill-bit holder
2	3 way plier holder
22	Single prongs 30mm
8	Spring clips Ø16
Tools are excluded	

Dimensions in mm

Length	Height
1020	1530

Order No.
PNL6-510





Qty.	Description			
2	Perforated plates 510 x 510mm			
1 set	8 way spanner holder			
1	19 way socket holder + provision for Universal joint, T wrench, 2 extensions, ratchet handle.			
1	9 way screwdriver holder			
1	9 way allenkey holder			
1	4 way hacksaw holder			
1	5 way pin punch holder			
1	25 way drillbit holder			
2	3 way plier holder			
1	Double prong gap 40mm			
3	Spring clips Ø16			
Tools are excluded				

Dimensions in mm

Length	Height
1020	510


Order No.
PNL2-510

metmeister perforated plates are tightened with four wing fasteners. A quarter turn secures or removes the panels from the wall. Perforated plates are manufactured from 1.2 mm quality cold rolled sheet steel. Epoxy coated in RAL 6011 (Reseda green). The tool holders and prongs are secured from the front with super quick fasteners and can be moved easily to various positions. Perforated panels are available in three sizes.



Height	Length	Order No.
510	510	PNL 510
1020	510	PNL 1020
1530	510	PNL 1530

Tray with SB105 storage bins.



Tray size:

Width Depth
420 160
with bins


Order No.
TRAY-SB10
BINTRAY-SB10

8 Way ring-flat spanner holder
Suitable for sizes 8-19mm.



Order No.
8SPANNER

9 Way allen key holder
Suitable for sizes 1.5-10mm.




Order No.
ALLENKEY

9 Way star and screw driver holder.



Order No.
SCREW

16-Way ring flat spanner holder,
Suitable for sizes 8-23mm.



Order No.
16SPANNER

19 Way socket holder, universal joint,
T wrench, 2 extension, ratchet handle.
Suitable for sizes 8-32mm




Order No.
SOCKET

26 Way drill bit holder, suitable for sizes 1.0-13.0mm increments of 0.5mm.



Order No.
DRILLBIT

5 Way punch holder,
Suitable for sizes 4-10mm.



Order No.
PUNCH



4 Way hacksaw holder



Order No.
HACKSAW

3 Way plier holder



Order No.
PLIER

Clip sizes 6,12,16,32mm



Order No.
CLIPS 6,12,16,32

Single prongs 35,50,75,100,150mm
Double prongs 60,100 and 150mm
gap between prongs 25mm or 35mm




Order No.	Order No.	Order No.
SPH-035	DPH-060(25)	DPH-060(35)
SPH-050	DPH-100(25)	DPH-100(35)
SPH-075	DPH-150(25)	DPH-150(35)
SPH-100		
SPH-150		

Rings 80mm Ø, 100mm Ø, 120mm Ø



Order No.
RING 80
RING 100
RING 120

6 Utility boxes 150x75x52mm with tray



Order No.
UTILITY6 WITHTRAY

Utility tray at 90°



Order No.
UTILITY 90°


3 Way A4 Document Holder



Order No.
3WAY-JTC

Super quick fastner




Included in Perfo kit 1


1 x 16 way spanner holder
 1 x Double prong
 1 x Spring clip
 1 x 5 way pin punch holder

1 x 3 way plier holder
 3 x Single prongs
 1 x Hacksaw holder

Dimensions in mm

Height	Width
510	1050

Order No.
PERFO KIT 1


Included in Perfo kit 2

1 x 19 way socket set holder
 1 x Double prong
 1 x Spring clip
 1 x 9 way allen key holder

1 x 9 way screwdriver holder
 3 x Single prongs
 1 x 25 way drillbit holder

Dimensions in mm

Height	Width
510	1050

Order No.
PERFO KIT 2



- 1 **metmeister work bench cabinet** fitted with a fluorescent light fitting and perforated plates for the storage of tools. Prongs and toolholders are used to keep tools tidy, safe and easily accessible. Lockable doors open more than 180° and don't interfere with worktable space. (Two keys are supplied) Fully welded bullet hinges ensure rigidity of doors. Storage space is utilised underneath the tool cabinet for SB210 bins. Accessories (as listed) are included in the price, tools are excluded.

Qty.	Description
4	Perforated plates 510 x 510mm
1 set	16 way spanner holder
1	19 way socket holder + provision for Universal joint, T wrench, 2 extensions, ratchet handle
1	9 way screwdriver holder
1	9 way allenkey holder
1 set	4 way hacksaw holder
1	5 way pin punch holder
1	25 way drill-bit holder
2	3 way plier holder
22	Single prongs 30mm
8	Spring clips Ø16
Tools are excluded	

Cabinet dimensions in mm

Length	Height	Order No.
1020	520	BENCH CABINET 1020/520

2

Gas lift for vice

Very robust, manufactured from steel only, (no cast iron) the gas lift with vice, lifts the workpiece to the proper height, attaining a comfortable upright position for the artisan to work at. It weighs 11kg (without vice) and is epoxy powder coated in RAL 6011. It is height adjustable above workstation top, ranging between 47mm and 277mm. The vice lift is capable of rotating 360 degrees.

Beneficial for personnel and user friendly:

- avoids fatigue
- produces better productivity
- improves quality of work
- promotes concentration
- yields comfortable working conditions

Supplied without vice.

Capacity	Weight	Adjust. Height	Order No.
400N	11kg	47-277mm	GLV

Supplied with 125mm Engineering vice

Capacity	Weight	Adjust. Height	Order No.
400N	11kg	47-277mm	GLV125

Supplied with 150mm Engineering vice

Capacity	Weight	Adjust. Height	Order No.
400N	11kg	47-277mm	GLV150

3

Storage bins

Are of the highest quality available in polypropylene red, yellow green and blue.

Length	Width	Height	Order No.
350	210	145	SB210

4

Workbench

Fitted with 38mm laminated saligna hardwood. Worktop covered with 1.6mm zinc galvanised sheetsteel. A stiffener plate is fitted between the rear legs for added strength

Length	Depth	Height	Order No.
1500	800	890	WKS100-15GS







Electro static discharge (ESD) Products

Electrostatic discharge (ESD) causes damage to electronic components or may influence their reliability. Walking on a synthetic carpet may charge the body with 35000 volts, the sensitivity of an EPROM may be at 100 volts. Consequentially, serious risk prevails, in that, electronic parts will not function.


Operator and workstation shall connect to earth via 1M ohm resistors for protection. **metmeister** provides a range of antistatic products to prevent static damage.

Classification of material

- 1.) Electrostatic conductive material with a surface resistivity greater than 10^4 ohms/ 1.2m^2 and less than 10^5 ohms/ 1.2m^2
Temperature $-20+70^\circ\text{C}$
- 2.) Electrostatic dissipative material with a surface resistivity greater or equal to 10^5 ohms/ 1.2m^2 and less than 10^{12} ohms/ 1.2m^2
- 3.) Insulative material with a surface resistivity greater or equal to 10^{12} ohms.



Order No.
ESD-TESTSTATION



A	Adjustable fabric band/cord set Premium quality band and cord set. Fully adjustable wrist strap fits all sizes. 1.8m coil with 1M resistor. Available 10mm male press stud.	Order No. ESD-WRIST
B	Earth bonding plugs 3x10mm stud 1M	Order No. ESD-BONDPLUG
C	Cabinet bonding point 10mm stud with isolated screw for earth connection.	Order No. ESD-BONDPOINT
D	Earth bonding brackets 3x10mm stud.	Order No. ESD-BONDBRKT
E	Antistatic mats Dimensions: Length Width 750 500	Order No. ESD-ANTISTATICMAT
F	Wrist band/heel grounder test station Wall mounted test station comprising of foot plate, earth bonding box and connection leads.	Order No. ESD-TESTSTATION



metmeister offers bolted shelving. The bolted shelves are height adjustable with a pitch of 25mm and a load capacity up to 135kg. Shelves are manufactured from zinc galvanised sheet steel. Shelf bonding points are visible fitted to small parts shelving with 1M Ohm earthing cable.



Fitted with 54 bins SB150

Order No.
ESD-SB15


Fitted with 21 bins SB315

Order No.
ESD-SB31

The robust C145 cabinet enclosure is made from a single piece of sheetsteel casing with profile welded carrier elements. Dual action central locking system has been installed to prevent any force on lock and key. All drawers are earthed to a common bonding point.

All drawers and rails are earthed to a common bonding point.

Dimensions in mm:

Height	Width	Depth
1450	715	705

Order No.
C145-ESD12

Order No.
C145-ESD12



Bins are available in conductive polypropylene material for the protection of sensitive components. They are suitable for free stacking, shelves, trolleys, cabinets and racks. Bins are of highest quality. They are manufactured with ribs and thus robust receptacles.

ESD PLASTIC MATERIALS

Conductive polypropylene = PP

- surface resistivity $10^3 \dots 10^6$ /sq
- volume resistivity $10^3 \dots 10^5$ x cm
- temperature tolerance -20...+70°C

SABS

RESISTIVITY IEC93
FOR ANTISTATIC BINS

Test Results:

Surface Resistivity	
Voltage (Volt)	Black conductive polypropylene (10° Ohm)
100	130
250	46
500	3
1000	N/A*

Volume Resistivity	
Voltage (Volt)	Black conductive polypropylene (10° Ohm/cm)
100	10,000
250	1476
500	103
1000	N/A*


* This test could not be done due to excessive heat as a result of the high current at the low resistance value



SABS

RESISTIVITY IEC93
FOR ANTISTATIC BINS


Dimensions	Type	Content	Content	Max.stacking	Order No.
L x W x H			Load	Mass	
160x105x75	Antistatic	0.8 litres			A105



SABS

RESISTIVITY IEC93
FOR ANTISTATIC BINS


Dimensions	Type	Content	Content	Max.stacking	Order No.
L x W x H			Load	Mass	
230x150x125	Antistatic	3.0 litres	5kg	35kg	A150



SABS

RESISTIVITY IEC93
FOR ANTISTATIC BINS


Dimensions	Type	Content	Content	Max.stacking	Order No.
L x W x H			Load	Mass	
350x210x145	Antistatic	7.5 litres	15kg	90kg	A210



SABS

RESISTIVITY IEC93
FOR ANTISTATIC BINS

Dimensions	Type	Content	Content	Max.stacking	Order No.
L x W x H			Load	Mass	
500x315x200	Antistatic	24 litres	35kg	180kg	A315





The cabinet has been designed for the storage of hazardous products and shall allow dissipation of flammable fumes. The cabinet shall contain the flames, in case of an internal fire. A sloping top shall prevent any storage on top of the enclosure. They are manufactured from 1.6mm quality cold rolled sheet steel and epoxy powder coated in bright textured yellow or blue colour. Cabinets are lockable, fitted with 4 adjustable shelves (Hazard 2 fitted with 2 adjustable shelves) and supplied with danger signs.

Dimensions in mm			Order No.
Width	Depth	Height	
900	450	1800	
900	450	1050	HAZARD 2



Order No.
HAZARD 1



Order No.
HAZARD 2

Two wheel trolleys, a cost effective way of handling a wide variety of goods. Safety step mounties, ease access to a variety of heights. All available in grey epoxy powder, or zinc electroplated.



Robust, heavy duty trolley for all types of loads.

Capacity 225kg
Height 1230mm
Width 300mm
Wheel dia. 200mm

Order No.
MINERAL CASE TROLLEY



Robust, heavy duty trolley for all types of loads.

Capacity 250kg
Height 1350mm
Width 540mm
Wheel dia. 200mm

Order No.
BEER CASE TROLLEY



Suitable for 210 litre steel drums

Capacity 500kg
Height 1100mm
Wheel dia. 350mm

Order No.
DRUM TROLLEY



Lightweight and portable.
Nose folds up for easy storage.

Capacity 225kg
Height 1150mm
Width 625mm
Wheel dia. 200mm

Order No.
FN625



Lightweight and portable.
Nose folds up for easy storage.

Capacity 225kg
Height 1150mm
Width 495mm
Wheel dia. 200mm

Order No.
FN495



Suitable for moving sacks

Capacity 230kg
Height 1000mm
Width 460mm
Wheel dia. 200mm

Order No.
SACK-TROLLEY



Heavy Duty Safety Step

All Steel construction with 2 x swivel castors with brakes front and 2 x fixed castors rear. Units feature double deep top steps. Treads non slip. 600mm wide

Height	Width	Order No.
1380	1000	MLH6 HD
1840	1000	MLH8 HD
2300	1000	MLH10 HD
2750	1000	MLH12 HD
3220	1000	MLH14 HD
3680	1000	MLH16 HD
4140	1000	MLH18 HD
4600	1000	MLH20 HD

Light Duty Safety Step

All Steel construction with 4 x spring loaded castors which retract when in use. Single top step, treads non slip. 450mm wide
2 smallest models supplied without handrail.

Height	Width	Order No.
460	500	ML2 LD
690	500	ML3 LD
690	500	MLH3 LD
920	500	MLH4 LD
1150	500	MLH5 LD
1380	500	MLH6 LD

Order No.
KLIMA CHAIR

Order No.
KLIMA SALIGNA

Order No.
KLIMA EXEC



Very robust, manufactured from steel only, (no cast iron). The gas lift with vice, lifts the workpiece to the proper height, attaining a comfortable upright position for the artisan to work at. It weighs 11kg (without vice) and is epoxy powder coated in RAL 6011. It is height adjustable above workstation top, ranging between 47mm and 277mm. The vice lift is capable of rotating 360 degrees.



Beneficial for personnel and user friendly:

- avoids fatigue
- produces better productivity
- improves quality of work
- promotes concentration
- yields comfortable working conditions



Vice 150mm



Order No.
V150

(vice excluded)

Adj. Height	Capacity	Weight
47-277mm	400N	11kg


Order No.
GLV



Wall mounted , free standing with or without castors, A4 job cards are utilised in motor car repair shops, manufacturing and service industries, for the purpose of recording activities such as time, parts, material and progress. Job card holders are manufactured from 1.2mm quality steel in modern design, produced in two colours, epoxy coated. These are manufactured in single units, which may be stacked horizontally and/or vertically, so that width and height are per clients choice. Swivel castors are fitted with brakes. Price on application only, because of variation of choice.



Wall mounted holder




Order No.
JTC WALL



Manufactured from 1.2mm quality sheet steel, completely welded (not spotwelded) suitable for 80 or 150 keys with extra large space for name plates, not interfering with next row of hooks. Heavy duty lock with snap action and hinges are fitted for extra protection (Night latch supplied with 2 keys), Painted in epoxy powder light grey texture RAL 7032. Keybox 2 is fitted with 1 extra keywall for 180 degree rotation.

Keybox 2 fitted with 1 extra keywall for 180 degree rotation

Width	Height	Depth	Keys	Order No.
435	720	100	80	KEYBOX1
435	720	160	150	KEYBOX2





metmeister lockers and seat bench are rigid and made from 1.2mm and 2mm heavy duty quality steel, epoxy coated in beige texture. Bench seats are from pine wood, protected with clear lacquer. Compartments are fitted with 1 shelf, wardrobe rail, 3 sliding coat hooks. Bullet hinges are used, fully mig welded to doors and locker compartment. Ventilation by 2 sets of louvres in compartment doors, for standard units, as well as extra ventilation slots on enclosure top. Alternative perforated doors in various designs are offered. Cam locks with 2 keys. Pad lockable 3 point lever locks (only for full length door) are available.



8 Doors

Height 2100
Width 1225
Depth 500

Order No.
LOCKER 1



4 Doors

Height 2100
Width 1225
Depth 500

Order No.
LOCKER 2



16 Doors

Height 2100
Width 1225
Depth 500

Order No.
LOCKER 3



2 Doors

Height 2100
Width 627
Depth 500

Order No.
LOCKER 4



4 Doors

Height 2100
Width 627
Depth 500

Order No.
LOCKER 5



8 Doors

Height 2100
Width 627
Depth 500

Order No.
LOCKER 6



2 Doors

Height 2100
Width 1225
Depth 500

Order No.
LOCKER 7



4 Doors

Height 1700
Width 1225
Depth 500

Order No.
LOCKER 8



8 Doors

Height 1700
Width 1225
Depth 500

Order No.
LOCKER 9



16 Doors

Height 1700
Width 1225
Depth 500

Order No.
LOCKER 10



2 Doors

Height 1700
Width 627
Depth 500

Order No.
LOCKER 11



4 Doors

Height 1700
Width 627
Depth 500

Order No.
LOCKER 12



8 Doors

Height 1700
Width 627
Depth 500

Order No.
LOCKER 13



4 Doors

Height 1800
Width 1225
Depth 500

Order No.
LOCKER 14



8 Doors

Height 1800
Width 1225
Depth 500

Order No.
LOCKER 15



16 Doors

Height 1800
Width 1225
Depth 500

Order No.
LOCKER 16



2 Doors

Height 1800
Width 627
Depth 500

Order No.
LOCKER 17



4 Doors

Height 1800
Width 627
Depth 500

Order No.
LOCKER 18



8 Doors

Height 1800
Width 627
Depth 500

Order No.
LOCKER 19



Order No.
PERFODOOR



Order No.
LOCK 1



Order No.
LOCK 2



Order No.
LOCK 3



12 compartment locker manufactured from quality steel and epoxy powder coated in beige.

Dimensions in mm

Width	Depth	Height
600	380	1800

Order No.
TWELVE
COMPARTMENT



Dimensions in mm

Width	Depth	Height
300	450	1800
300	450	1800
300	450	1800


Order No.
SINGLE COMPARTMENT
TWO COMPARTMENT
FOUR COMPARTMENT




Industrial mobile shelving

This industrial mobile shelving has been designed for heavy loads. It runs very smoothly on rails and is operated manually by the rotation of the star wheel, which is easy to turn. Very little effort has to be exerted to move the units. Once the units are together the last unit is lockable, thus denying access to the entire system.

These units can be installed on an existing floor. The system is manufactured from Chromadek. This system would carry a guarantee for up to ten years for the paint finish. It is a rigid product and is modular and boltless. For transport purposes, it can be disassembled into a quarter of its volume.



Dimensions in mm

With star wheel

HEIGHT 2260

WIDTH 2000	WIDTH 3000	WIDTH 4000	WIDTH 5000	WIDTH 6000	DEPTH
					400
Shelves 10	Shelves 15	Shelves 20	Shelves 25	Shelves 30	
Order No. STATIC 2	Order No. STATIC 3	Order No. STATIC 4	Order No. STATIC 5	Order No. STATIC 6	
WIDTH 2000	WIDTH 3000	WIDTH 4000	WIDTH 5000	WIDTH 6000	DEPTH
					800
Shelves 20	Shelves 30	Shelves 40	Shelves 50	Shelves 60	
Order No. MOVE 2	Order No. MOVE 3	Order No. MOVE 4	Order No. MOVE 5	Order No. MOVE 6	

With push handle

WIDTH 2000	WIDTH 3000	DEPTH		WIDTH 2000	WIDTH 3000	DEPTH
		400				800
Shelves 10	Shelves 15			Shelves 20	Shelves 30	
Order No. PUSHSTATIC 2	Order No. PUSHSTATIC 3			Order No. PUSHMOVE 2	Order No. PUSHMOVE 3	

Space saving system allows increased storage capacities. It provides accessibility and compares favourably to other storage systems. The modular multifile system glides with ease on a surface mounted rail. Installation time is at a minimum. The multifile system can be installed on existing floors, no grouting or skimming of floors, lifting of carpets, bolting to floors and walls is required. The units are manufactured from Chromadek (except the flooring). The multifile system is coated in light grey RAL 7032. This system would carry a guarantee of up to 10 years. It is a rigid product and is modular and boltless. For transport purposes, it can be dissembled into a quarter of its volume.

Over and above its aesthetic attributes, Chromadek paint coatings are designed to provide superior corrosion protection under conditions where the performance of unpainted galvanized sheeting may prove inadequate. Furthermore, the coatings exhibit excellent formability and elasticity to facilitate roll profiling and bending operations without damage to the paint coating.

Excellent paint adhesion is achieved and corrosion resistance enhanced by careful preparation of the steel surface prior to paint application.

Standard Chromadek is able to withstand mildly chemically polluted or moderate marine conditions, and is composed of Z275 hot-dip galvanized substrate pre-primed with a primer (dry film thickness (DFT) of 46 microns), and finished with a final paint coat (DFT) 10-22 microns, on the top surface.


The system can be expanded as follows:

Single stationary row


Double row (where the rear row is stationary and the front row moves laterally)

Triple row (where the rear row is stationary while the front and middle rows move laterally)

Overall Height from floor:	2325mm
Height of cabinets only	2235mm
Width of single unit	1150mm
Depth of single unit	400mm



Front view



Side view of double unit



Order No.
MODEL 7.6



Order No.
MODEL 6.5



Order No.
MODEL 5.4



Order No.
MODEL 4.3



Order No.
MODEL 3.2



Order No.
MODEL 2.1



Order No.
MODEL 7.6.6



Order No.
MODEL 6.5.5



Order No.
MODEL 5.4.4



Order No.
MODEL 4.3.3



Order No.
MODEL 3.2.2



Order No.
MODEL 2.1.1





H3 Pullout cradle for 30 kg load
H3 Pull out cradle for 50kg load
H3 Pullout cradle for 100kg load

Order No.
H3PULLOUT30
H3PULLOUT50
H3PULLOUT100



Fixed lateral file frame

Order No.
FIXED LATERAL



Pull out shelf

Order No.
PULLOUTSHELF



Fixed shelf

Order No.
FIXED SHELF



One set of doors

Order No.
MULTIFILE DOORS



Scissor lift pallet truck



High lift pallet trucks with load capacity of 1000kg are standard with rubber wheels

Model No.	HU10-XP 4528120
Lifting load in tonnage	1.0
Maximum lifting height	715
Total width	540
Total length	1535
Total length of forks	1150

Pallet trucks

Available with rubber or nylon wheels, both fork widths have double bigies and entry roller. Load capacity 2500kg on all units.



Fork width	550mm	550mm	685mm	685mm
Fork length	1200mm	1220mm	1220mm	1200mm
Total length	1500mm	1500mm	1500mm	1500mm
Wheels	Nylon	Rubber	Nylon	Rubber
Order No.	PT550N	PT550R	PT685N	PT685R

MODULAR VEHICLE STORAGE SYSTEM



metmeister®
Perfecting workplace excellence





There is an increasing need for maintainance and service. Metmeister has responded to this trend by developing a unique **Modular Vehicle Storage System**.


This modular system is designed for service vehicles and is directed at the trade, such as auto-mechanics, service staff, plumbers, electricians, painters, air conditioning technicians, appliance technicians, etc.

The great benefit is that a service vehicle can transport an entire workshop to the point of work, right where the need is. Service to the end customer is so much more efficient, fast and comprehensive, yielding savings in time/cost and resulting in great customer service and satisfaction.


The system is compatible with Citroen, Fiat, Ford, Iveco, Mercedes, Nissan, Opel, Peugeot, Renault, and VW. The system is so adaptable that any vehicle can be fitted out with it. Being modular, one is able to mix and match elements to create many configurations for all types of requirements, allowing for maximum vehicle pay load.

Great attention has been paid to safety and security aspects, with a central locking and catch system on drawers, as well as a release mechanism for individual drawers. It is lightweight, rigid and space saving, manufactured to high standards to ensure that the system is of high quality and very durable.

Because the system is modular, it offers great value and flexible pricing to suit any need. A vehicle can have additional units added as the need arises, and be configured in stages. The system can even be used in storage situations other than in vehicles, such as workshops and trailers.




Mobile jack

Tool and
equipment holdersJerry can
holders

Storage bin racks


Table with galvanised
steel topDrawer cabinet
with saligna timber
top and viceNon-slip
aluminium floorJerry can
holders

Tyre rack



Drawer cabinet

Tyre rack

**Comprising:**

2 x Cabinets 1100x380x475
 1 x Shelf fixed 50 front fascia
 2 x Drawers 200 front fascia
 1 x Storage bin shelf 1100x338x215
 1 x Storage bin shelf 1100x230x180
 5 x Storage bins 350x210x145
 7 x Storage bins 230x150x125
 1 x Extension bench for vice 370x950
 1 x Vice standard mechanic type

Dimensions in mm


Width	Depth	Height	Order No.
1100	380	1385	MODULE 1

**Comprising:**

1 x Cabinet 1100x380x950
 1 x Cabinet 1100x380x475
 4 x Shelves hinged 200 front fascia
 1 x Drawer 200 front fascia
 2 x Drawers 100 front fascia

Dimensions in mm

Width	Depth	Height	Order No.
1100	380	1425	MODULE 2

**Comprising**

2 x Cabinets 1100x380x475
 2 x Shelves hinged 200 front fascia
 1 x Drawer 200 front fascia
 1 x Drawer 100 front fascia
 2 x Drawers 50 front fascia
 1 x Rubber mat 340x1060
 1 x Long cabinet spacer 1100x380
 * Can be used next to Module 1

Dimensions in mm

Width	Depth	Height	Order No.
1100	380	990	MODULE 3

**Comprising:**

2 x Cabinets 1100x380x475
 2 x Shelves fixed 200 front fascia
 1 x Shelf fixed 100 front fascia
 1 x Top Tray with partitions
 1100x338x80

Dimensions in mm


Width	Depth	Height	Order No.
1100	380	1030	MODULE 4

**Comprising:**

2 x Cabinets 1100x380x475
 2 x Shelves hinged 200 front fascia
 1 x Drawer 200 front fascia
 2 x Drawer 100 front fascia
 1 x Storage bin shelf 1100x338x215
 5 x Storage bins 350x210x145
 1 x Top Tray with partitions
 1100x338x80

Dimensions in mm


Width	Depth	Height	Order No.
1100	380	1245	MODULE 5

**Comprising:**

2 x Cabinets 1100x380x475
 2 x Shelves fixed 200 front fascia
 2 x Drawer 200 front fascia
 1 x Storage bin shelf 1100x338x215
 1 x Storage bin shelf 1100x230x180
 5 x Storage bins 350x210x145
 7 x Storage bins 230x150x125
 1x Top tray with 2 partitions
 1100x230x80

Dimensions in mm

Width	Depth	Height	Order No.
1100	380	1425	MODULE 6

**Comprising:**

2 x Cabinets 1100x380x950
 4 x Shelves fixed 200 front fascia
 4 x Drawers 200 front fascia
 1 x Drawer 50 front fascia
 1 x Storage bin shelf 1100x338x215
 5 x Storage bins 350x210x145
 1 x Top tray with 2 partitions
 1100x338x80

Dimensions in mm

Width	Depth	Height	Order No.
1100	380	1245	MODULE 7

**Comprising:**

2 x Cabinets 1100x380x475
 2 x Cabinets 550x380x475
 1 x Shelf fixed 150 front fascia
 4 x Drawers 200 front fascia
 3 x Shelves hinged 100 front fascia
 1 x Top Tray with 2 partitions
 1100x338x80

Dimensions in mm

Width	Depth	Height	Order No.
1100	380	1505	MODULE 8

**Comprising:**

2 x Cabinets 550x380x475
 1 x Shelves fixed 200 front fascia
 2 x Drawers 100 front fascia
 1 x Drawer 200 front fascia

Dimensions in mm


Width	Depth	Height	Order No.
550	380	950	MODULE 9

**Comprising:**

1 x Cabinets 1100x380x950
 4 x Shelves fixed 150 front fascia
 1 x Shelf fixed 50 front fascia

Dimensions in mm


Width	Depth	Height	Order No.
550	380	950	MODULE 10

**Comprising:**

1 x Cabinet 1100x380x950
 4 x Shelves hinged 200 front fascia

Dimensions in mm

Width	Depth	Height	Order No.
1100	380	950	MODULE 11

**Comprising:**


1 x Cabinets 1100x380x475
 2 x Shelves hinged 200 front fascia

Dimensions in mm


Width	Depth	Height	Order No.
1100	380	475	MODULE 12



Layout of Modules








Comprising:
 1 x Cabinets 1100x380x475
 1 x Shelf fixed 200 front fascia
 2 x vertical partitions

Dimensions in mm


Width	Depth	Height	Order No.
1100	380	475	MODULE 13



Comprising:
 1 x Storage bin shelf 1100x180x80
 10 x Storage bins 160x105x75

Dimensions in mm


Width	Depth	Height	Order No.
1100	180	80	BINSHELF 10



Comprising:
 1 x Storage bin shelf 1100x230x180
 7 x Storage bins 230x150x125

Dimensions in mm

Width	Depth	Height	Order No.
1100	230	180	BINSHELF 7



Comprising:
 1 Storage bin shelf 1100x338x215
 5 x Storage bins 350x210x145


Dimensions in mm

Width	Depth	Height	Order No.
1100	338	215	BINSHELF 5



Dimensions in mm


Width	Depth	Height	Order No.
1100	20	555	PNL555



Comprising:
 1 x Top tray 1100x338x80
 2 x vertical partitions

Dimensions in mm


Width	Depth	Height	Order No.
1100	338	80	TOPTRAY 338



Comprising:
 1 x Top tray 1100x230x80
 2 x vertical partitions

Dimensions in mm

Width	Depth	Height	Order No.
1100	230	80	TOPTRAY 230



Dimensions in mm

Width	Depth	Height	Order No.
1100	180	80	TOPTRAY 180

**Conditions of sale and delivery**

Subject to our general terms and conditions of supply and delivery, copies are available with our pricelist. Technical data, dimensions and weights are subject to change, due to a policy of continual product development. The illustrations are for reference only. Dimensions in mm. **metmeister** reserves the rights to alter design and specifications without prior notice.

metmeister[®] is a registered trade name of Metropolitan Power Services (Pty) Ltd

metmeister[®]**Johannesburg**

154-170 Axle Road, Devland,
Tel: (+27) 11 933-3100
Fax: (+27) 11 933-4107

Cape Town

Unit 10, Santos Park, 414 Voortrekker Rd,
Maitland, 7405
Tel: (+27) 21 510-5564/74
Fax: (+27) 21 510-5584

Durban

CMS Industrial, Unit 12, Marlmead,
4 Reed Place, Maxmead, Pinetown, 3610
Tel: (+27) 31 702-4843
Fax: (+27) 31 701-2260

Durban

No.2 Intersite Avenue, Shop 8,
Umgeni Business Centre, Umgeni Park, 4051
Tel: (+27) 31 263-2656/7
Fax: (+27) 31 263 0359

www.metmeister.co.za

WORKSTATIONS AND STORAGE SYSTEMS



metmeister®
Perfecting workplace excellence



www.metmeister.co.za